



Infosafe No™ 3NV2I	Issue Date : September 2023	ISSUED by NUFARMNZ
--------------------	-----------------------------	--------------------

 Product Name **BATON®800WSG**

1. Identification

GHS Product Identifier	BATON®800WSG
Product Code	00826
Product Type	Herbicide
Company Name	Nufarm NZ
Address	Central Park, Building 3, Level 4, 666 Great South Road Ellerslie Auckland 1051 New Zealand
Telephone/Fax Number	Tel: 0-9-270 4150
Emergency phone number	0800 651 911
E-mail Address	nzinfo@nufarm.com
Recommended use of the chemical and restrictions on use	Non-volatile 2,4-D soluble granules for broadleaf weed control in cereals and new and established pasture.
Other Information	This SDS describes, to the best of our knowledge, the properties of the concentrated product. The physical properties and some of the assessments do not apply to the properties of the product once it has been diluted for application. Acute health effects of the diluted product are likely to be much less severe.

2. Hazard Identification

GHS classification of the substance/mixture	DANGEROUS GOODS.
Signal Word (s)	DANGER
Hazard Statement (s)	H302 Harmful if swallowed. H316 Causes mild skin irritation. H317 May cause an allergic skin reaction. H319 Causes serious eye irritation. H372 Causes damage to organs through prolonged or repeated exposure. H410 Very toxic to aquatic life with long lasting effects. H421 Very toxic to soil environment. H432 Toxic to terrestrial vertebrates.
Precautionary statement – General	P101 If medical advice is needed, have product container or label at hand. P102 Keep out of reach of children. P103 Read label before use.
Pictogram (s)	Exclamation mark, Health hazard, The below pictograms are GHS Hazard symbols for workplace use only. See SECTION 14 for Dangerous Goods information.
 	
Precautionary statement – Prevention	P264 Wash hands and face thoroughly after handling. P270 Do not eat, drink or smoke when using this product. P280 Wear protective gloves/protective clothing/eye protection/face protection. P261 Avoid breathing dust/fume/gas/mist/vapours/spray. P272 Contaminated work clothing should not be allowed out of the workplace. P273 Avoid release to the environment.
Precautionary statement – Response	P301+P312 IF SWALLOWED: Call a POISON CENTER or doctor/physician if you feel unwell. P330 Rinse mouth. P332+P313 If skin irritation occurs: Get medical advice/attention.

Infosafe No™ 3NV2I	Issue Date : September 2023	ISSUED by NUFARMNZ
--------------------	-----------------------------	--------------------

 Product Name **BATON®800WSG**

Other Information P305+P351+P338 IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing.
 P337+P313 If eye irritation persists: Get medical advice/attention.
 P302+P352 IF ON SKIN: Wash with plenty of soap and water.
 P333+P313 If skin irritation or rash occurs: Get medical advice/attention.
 P363 Wash contaminated clothing before reuse.
 P391 Collect spillage.
 6.1D acute toxicant, 6.3B skin irritant, 6.4A eye irritant, 6.5B sensitiser, 6.9A target organ toxicant, 9.1A aquatic toxicant, 9.2A soil toxicant, 9.3B terrestrial vertebrate toxicant.

3. Composition/information on ingredients

Ingredients	Name	CAS	Proportion
	2,4-D (present as the dimethylamine salt)	2008-39-1	800g/kg
	Other ingredients (considered non-hazardous)		Upto 100%

4. First-aid measures

First Aid Measures For advice contact the National Poisons Centre 0800 POISON (0800 764 766) or a doctor immediately. Begin artificial respiration if the victim is not breathing. Use mouth-to-nose rather than mouth-to-mouth. Obtain medical attention.

Inhalation Remove patient to fresh air. Lay down and keep warm and rested. If breathing is shallow or has stopped ensure airway is clear and apply resuscitation. Seek medical assistance immediately.

Ingestion Never give anything by mouth to an unconscious person. If swallowed do NOT induce vomiting. For advice, contact the National Poisons Centre (0800 764 766). Seek medical assistance immediately.

Skin Immediately flush body and clothes with large amounts of water. Remove contaminated clothing and footwear. Wash affected areas with soap and water. If a large area is affected seek medical assistance.

Eye contact Flush eyes with plenty of water for 15 minutes holding eyelids open if necessary. Remove contact lenses, if present and easy to do. Seek medical assistance even if there are no immediate symptoms.

First Aid Facilities Facilities storing or utilizing this material should be equipped with an eyewash facility and safety shower.

Advice to Doctor Treat symptomatically.

5. Fire-fighting measures

Suitable extinguishing media Water fog, foam, carbon dioxide or dry chemical.

Hazards from Combustion Products May emit toxic fumes of hydrogen chloride, phosgene or amines if involved in fires or exposed to extreme heat.

Special Protective Equipment for fire fighters Full protective clothing and self-contained breathing apparatus.

Specific Methods Keep up wind. Do not allow washings to reach sewage or effluent systems.

Hazchem Code 2X

Decomposition Temp. Data not available.

Other Information Location Certificate: Not applicable
 Hazardous Atmosphere Zone: Not applicable
 Number of Fire Extinguishers: Not applicable

6. Accidental release measures

Spills & Disposal Wear protective clothing. Clear area of unprotected personnel. Sweep up

Infosafe No™ 3NV2I	Issue Date : September 2023	ISSUED by NUFARMNZ
--------------------	-----------------------------	--------------------

 Product Name **BATON®800WSG**

solids without generating dust (use water to dampen). Contain and absorb liquid spills with inert material and place in waste containers. If spill does enter waterways contact the local authority. Collect in an appropriate sealable container for disposal in an approved landfill.

Personal Protection For appropriate personal protective equipment (PPE), refer Section 8.

Environmental Precautions This product is a herbicide and spills can damage crops, pastures and desirable vegetation.

7. Handling and storage

Precautions for Safe Handling Avoid skin and eye contact and inhalation of spray mist or dust.
TRACKING: Is not required
RECORD KEEPING: Records of use as described in the NZS 8409 Management of Agrichemicals must be kept.
BEWARE: Spray drift hazard. Apply this product carefully. Spray drift may cause serious damage to other desirable plants.

Application to drains, ditches and irrigation channels must only be made when these waterways are dry and at least one month is allowed to elapse before the channels are used to carry water.

Conditions for safe storage, including any incompatibilities Keep out of reach of children.

Store in original container tightly closed and in a locked, dry, cool area away from foodstuffs, fertilisers and seeds. Storage must be in accordance with NZS 8409 Management of Agrichemicals.

Stores containing 100kg of Baton 800WSG are subject to signage, and more than 1,000kg require emergency response plans.

Other Information Always read the label and any attached leaflet before use.

Aggregate Storage Volume Thresholds:
 When stored with substances of the same hazard classification the aggregate quantity must be considered. For full details refer to the current NZS8409 Management of Agrichemicals and the HSNO Regulations.

8. Exposure controls/personal protection

Occupational exposure limit values No exposure standards have been set for this product.

WES TWA for 2,4-D(CAS 94-75-7) = 10 mg/m³
 WES TWA for Dimethylamine = 18 mg/m³ and vapour = 10ppm

Appropriate engineering controls Handle in well ventilated areas, generally natural ventilation is adequate.

Avoid generation of dust when handling solid. If dust generation is unavoidable, use forced draft to keep dust away from operator, or wear suitable dust respirator.

Personal Protective Equipment When opening the container, preparing spray and using the prepared spray wear safety goggles, washable hat, waterproof gloves, cotton overalls buttoned to the neck and wrist, and boots.

Hygiene Measures Do not eat, drink or smoke while using.

Remove protective clothing and wash hands and face thoroughly before meals and after work. Wash protective clothing daily after work.

9. Physical and chemical properties

Form	Solid
Appearance	White to yellow columnar granule.
Odour	Weak
Decomposition Temperature	Data not available.
Melting Point	140°C (2,4-D acid)
Boiling Point	Not applicable
Solubility in Water	Soluble in water.
pH	4.0-6.0 (1% solution)
Vapour Pressure	1.9 x 10 ⁻⁵ Pa (2,4-D acid, 25°C)

Infosafe No™ 3NV2I	Issue Date : September 2023	ISSUED by NUFARMNZ
--------------------	-----------------------------	--------------------

 Product Name **BATON®800WSG**

Vapour Density (Air=1)	Data not available
Partition Coefficient: n-octanol/water	Kow Log P is -1.01 (pH9, 25°C)
Density	0.50-0.54 g/ml
Flash Point	Not flammable
Flammability	Non combustible material.
Auto-Ignition Temperature	Not applicable
Explosion Properties	Not explosive
Oxidising Properties	Not oxidising
Kinematic Viscosity	Data not available.
Relative density	Not applicable.
Other Information	Water Soluble Granule.

10. Stability and reactivity

Chemical Stability	Stable under normal conditions of handling and storage.
Conditions to Avoid	Prolonged heating of the solid will slowly release dimethylamine.
Incompatible Materials	<p>Reaction of the concentrate or spray mix with acids will precipitate solid 2,4-D and largely de-activate the product and cause blockages in spray equipment.</p> <p>The addition of a strong alkali such as caustic soda will cause release of dimethylamine vapour.</p> <p>Dimethylamine is moderately toxic, LD50 (oral, rat) is 660 mg/kg and a TLV of 2 ppm (TWA) has been set.</p>
Possibility of hazardous reactions	Keep away from strong oxidising agents.
Hazardous Polymerization	Hazardous polymerisation is not possible.

11. Toxicological Information

Toxicology Information	No harmful effects are expected if the precautions on the label and this SDS are followed.
Acute Toxicity - Oral	LD50 (rat) 949 mg/kg for 2,4-D dimethylamine salt
Acute Toxicity - Dermal	LD50 (rat) >2000 mg/kg for 2,4-D dimethylamine salt
Acute Toxicity - Inhalation	LC50 (rat) (4hr) >3.5 mg/l for 2,4-D dimethylamine salt
Ingestion	<p>Not a likely route of exposure.</p> <p>Amounts swallowed incidental to normal handling procedures and use are not expected to cause injury.</p> <p>Ingestion of the concentrate in relatively large amounts can result in headache, nausea, lethargy, motor weakness and incoordination.</p>
Inhalation	<p>Not a likely route of exposure when handling the concentrate.</p> <p>Symptoms of exposure by inhalation are similar to those described for ingestion.</p>
Skin	<p>Prolonged contact with the concentrate may cause irritation.</p> <p>Prolonged contact with the concentrate may result in absorption of 2,4-D in harmful amounts.</p>
Eye	<p>Will irritate the eyes.</p> <p>Prolonged contact with the concentrate may cause damage to the eye.</p>
Skin Sensitisation	Prolonged and repeated skin contact may result in skin sensitisation.
Carcinogenicity	The weight of the evidence is that 2,4-D is not carcinogenic.

Infosafe No™ 3NV2I	Issue Date : September 2023	ISSUED by NUFARMNZ
--------------------	-----------------------------	--------------------

 Product Name **BATON®800WSG**

Reproductive Toxicity	Data not available.
STOT-single exposure	Data not available.
Chronic Effects	Chronic Overexposure: Repeated absorption of relatively large amounts of 2,4-D presents a risk to the liver and kidneys.
Serious eye damage/irritation	Severe irritant
Mutagenicity	Data not available.
Skin corrosion/irritation	Not a skin corrosive.
Other Information	The Australian Acceptable Daily Intake (ADI) for 2,4-D for a human is 0.01 mg/kg/day, set for the public for daily, lifetime exposure. This is based on the NOEL of 1 mg/kg/day, the level determined to show no effects during long term exposure for the most sensitive indicators and the most sensitive species. (Ref: Aust Govt Dept. of Health, Office of Chemical Safety, 'ADI List', December 2014).

12. Ecological information

Persistence and degradability	2,4-D dimethylamine salt is not rapidly degradable
Bioaccumulative Potential	2,4-D dimethylamine salt is not bioaccumulative
Other Precautions	Do not spray in high winds. Do not contaminate dams, waterways or sewers with this product or the containers which have held this product.
Environmental Protection	Spray drift can cause damage, read the label for more information.
Acute Toxicity - Fish	LC50 (96hr) for zebrafish is >1000 mg/l for formulated product LC50 (96hr) for rainbow trout is 100 mg/l for 2,4-D dimethylamine salt
Acute Toxicity - Daphnia	LC50 (48hr) for daphnia is >1,128 mg/l for the formulated product.
Acute Toxicity - Algae	EC50 for Selenastrum capricornutum = 51.2 mg/L for 2,4-D Chronic NOEC (14d) for duckweed = 0.27mg/L for 2,4-D dimethylamine salt
Acute Toxicity - Other Organisms	Birds: Not toxic to birds. Oral LD50 bobwhite quail is 500mg/kg for 2,4-D dimethylamine salt Bees: Not toxic to bees. LD50 (contact) >100µg/bee, (oral) c. 94µg/bee for 2,4-D dimethylamine salt

13. Disposal considerations

Product Disposal	To avoid disposal all attempts should be made to utilise the product completely in accordance with it's registered use. Dilute unusable product according to the label and pour onto fallow land. Prevent the product entering natural water sources.
Container Disposal	Ensure container is completely empty. Crush and bury in a suitable landfill. Dispose of product only by using according to the label, or at an appropriate landfill.

14. Transport information

Transport Information	It is good practice not to transport agricultural chemical products with food, food related materials and animal feedstuffs.
U.N. Number	3077
UN proper shipping name	ENVIRONMENTALLY HAZARDOUS SUBSTANCE, SOLID, N.O.S. - (contains 2,4-D, 80%)
Transport hazard class(es)	9
Hazchem Code	2X

Infosafe No™ 3NV2I	Issue Date : September 2023	ISSUED by NUFARMNZ
Product Name BATON®800WSG		

Packaging Method	-
Packing Group	III
EPG Number	-
IERG Number	47
IMO Marine Pollutant	Yes. Environmentally Hazardous Substance mark required.
IMDG EMS	F-A, S-F
Other Information	Do not carry this product on a passenger service vehicle. Segregation: Check the latest Land Transport Rule Dangerous Goods Rule 45001 for additional information. Sea transport may require additional segregation. Refer NZS5433 sea segregation for details.

15. Regulatory information

National and or International Regulatory Information	Registered pursuant to the ACVM Act 1997, No. P9585 See www.foodsafety.govt.nz for registration conditions Approved pursuant to the HSNO Act 1996, Approval Code HSR100573 See www.epa.govt.nz for approval controls.
Packaging & Labelling	DANGER KEEP OUT OF REACH OF CHILDREN Read Label before use.

16. Other Information

Contact Person/Point	IN AN EMERGENCY, DIAL 111 - FIRE OR POLICE 24Hr Tollfree Emergency No: 0800 651 911 24Hr Emergency No: National Poisons Centre Phone: 0800 764 766
Revisions Highlighted	5 yearly reveiw carried out. ...End Of MSDS...

© Copyright Chemical Safety International Pty Ltd

Copyright in the source code of the HTML, PDF, XML, XFO and any other electronic files rendered by an Infosafe system for Infosafe MSDS displayed is the intellectual property of Chemical Safety International Pty Ltd.

Copyright in the layout, presentation and appearance of each Infosafe MSDS displayed is the intellectual property of Chemical Safety International Pty Ltd. The compilation of MSDS's displayed is the intellectual property of Chemical Safety International Pty Ltd.

Copying of any MSDS displayed is permitted for personal use only and otherwise is not permitted. In particular the MSDS's displayed cannot be copied for the purpose of sale or licence or for inclusion as part of a collection of MSDS without the express written consent of Chemical Safety International Pty Ltd.