

IMPULSE 1/11

 Version 2 / NZ
 Revision Date: 29.07.2021

 102000007367
 Print Date: 29.07.2021

SECTION 1: IDENTIFICATION OF THE SUBSTANCE/MIXTURE AND OF THE COMPANY/UNDERTAKING

1.1 Product identifier

Trade name IMPULSE Product code (UVP) 06280714

1.2 Relevant identified uses of the substance or mixture and uses advised against

Use Fungicide EPA-Nr. HSR007652

Restrictions on use See product label for restrictions.

1.3 Details of the supplier of the safety data sheet

Supplier Bayer New Zealand Limited

Crop Science Division
B:HIVE Building
74 Taharoto Rd
Smales Farm
Takapuna
Auckland, 0622
New Zealand

Telephone 0800 428 246

Telefax (09) 441 8645

1.4 Emergency telephone no.

Emergency Number 0800 734 607 (24hr)

Global Incident Response

Hotline (24h)

+1 (760) 476-3964 (Company 3E for Bayer AG, Crop Science Division)

SECTION 2: HAZARDS IDENTIFICATION

2.1 Classification of the substance or mixture

Classified as hazardous according to the criteria in the Hazardous Substances (Minimum Degrees of Hazard) Notice 2020 as amended

Acute Tox.4

H302 Harmful if swallowed. H332 Harmful if inhaled.

H312 Harmful in contact with skin.

Skin Irrit.2

H315 Causes skin irritation.



 IMPULSE

 Version 2 / NZ
 Revision Date: 29.07.2021

 102000007367
 Print Date: 29.07.2021

Eye Dam.1

H318 Causes serious eye damage.

Skin Sens.1

H317 May cause an allergic skin reaction.

STOT RE1

H372 Causes damage to organs through prolonged or repeated exposure.

Aquatic Chronic1

H410 Very toxic to aquatic life with long lasting effects.

3

H433 Harmful to terrestrial vertebrates.

2.2 Label elements

Labelling in accordance with the Hazardous Substances (Safety Data Sheets) Notice 2020 as amended

Hazard label for supply/use required.









Signal word: Danger Hazard statements

H302 + H312 Harmful if swallowed, in contact with skin or if inhaled.

+ H332

H315 Causes skin irritation.

H318 Causes serious eye damage.

H317 May cause an allergic skin reaction.

H372 Causes damage to organs through prolonged or repeated exposure.

H410 Very toxic to aquatic life with long lasting effects.

H433 Harmful to terrestrial vertebrates.

Precautionary statements

P103 Read label before use.
P102 Keep out of reach of children.

P280 Wear protective gloves/ protective clothing/ eye protection/ face protection.

P264 Wash face, hands and any exposed skin thoroughly after handling.

P270 Do not eat, drink or smoke when using this product.

P301 + P312 IF SWALLOWED: Call a POISON CENTER/doctor/physician if you feel unwell. P304 + P340 IF INHALED: Remove person to fresh air and keep comfortable for breathing.

P321 Specific treatment (see supplemental first aid instructions on this label).

P332 + P313 If skin irritation occurs: Get medical advice/ attention.

P305 + P351 IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if

+ P338 present and easy to do. Continue rinsing.

P333 + P313 If skin irritation or rash occurs: Get medical advice/ attention.

P391 Collect spillage.

P501 Dispose of contents/container in accordance with local regulation.

2.3 Other hazards

No additional hazards known beside those mentioned.



IMPULSE
Version 2 / NZ
Revision Date: 29.07.2021

102000007367 Print Date: 29.07.2021

SECTION 3: COMPOSITION/INFORMATION ON INGREDIENTS

3.2 Mixtures

Chemical nature

Emulsifiable concentrate (EC) Spiroxamine 500 g/l

Hazardous components

Name	CAS-No.	Conc. [%]
Spiroxamine	118134-30-8	49.80
Benzyl alcohol	100-51-6	> 25
Dodecylbenzenesulphonic acid, compound with 2-aminoethanol (1:1)	26836-07-7	> 5.00 - < 20
Ethoxylated polyarylphenol	99734-09-5	> 1.00 - < 25.00

Further information

Spiroxamine	118134-30-8	M-Factor: 100 (acute), 100 (chronic)
Dodecylbenzenesu lphonic acid, compound with 2- aminoethanol (1:1)	26836-07-7	M-Factor: 1 (acute)

SECTION 4: FIRST AID MEASURES

4.1 Description of first aid measures

General advice Move out of dangerous area. Place and transport victim in stable

position (lying sideways). Remove contaminated clothing immediately

and dispose of safely.

Inhalation Move to fresh air. Keep patient warm and at rest. Call a physician or

poison control center immediately.

Skin contact Wash off thoroughly with plenty of soap and water, if available with

polyethyleneglycol 400, subsequently rinse with water. If symptoms

persist, call a physician.

Eye contact Rinse immediately with plenty of water, also under the eyelids, for at

least 15 minutes. Remove contact lenses, if present, after the first 5 minutes, then continue rinsing eye. Call a physician or poison control

center immediately.

Ingestion Rinse mouth. Do NOT induce vomiting. Call a physician or poison

control center immediately.

4.2 Most important symptoms and effects, both acute and delayed

Symptoms No symptoms known or expected.

102000007367



Print Date: 29.07.2021

IMPULSE
Version 2 / NZ
Revision Date: 29.07.2021

4.3 Indication of any immediate medical attention and special treatment needed

Treat symptomatically. In case of ingestion gastric lavage should be

considered in cases of significant ingestions only within the first 2 hours. However, the application of activated charcoal and sodium sulphate is always advisable. There is no specific antidote.

Contact the National Poisons and Hazardous Chemicals Information center in Dunedin, PO Box 913, Dunedin. Phone 0800 POISON (0800 764 766).

SECTION 5: FIREFIGHTING MEASURES

5.1 Extinguishing media

Suitable Water spray, Carbon dioxide (CO2), Foam, Sand

Unsuitable High volume water jet

5.2 Special hazards arising from the substance or

mixture

In the event of fire the following may be released:, Hydrogen cyanide (hydrocyanic acid), Carbon monoxide (CO), Nitrogen oxides (NOx)

5.3 Advice for firefighters

Special protective equipment for firefighters

In the event of fire and/or explosion do not breathe fumes. In the event

of fire, wear self-contained breathing apparatus.

Further information Contain the spread of the fire-fighting media. Do not allow run-off from

fire fighting to enter drains or water courses.

SECTION 6: ACCIDENTAL RELEASE MEASURES

6.1 Personal precautions, protective equipment and emergency procedures

Precautions Keep unauthorized people away. Isolate hazard area. Avoid contact

with spilled product or contaminated surfaces.

6.2 Environmental

precautions

Do not allow to get into surface water, drains and ground water.

6.3 Methods and materials for containment and cleaning up

Methods for cleaning up Soak up with inert absorbent material (e.g. sand, silica gel, acid

binder, universal binder, sawdust). Collect and transfer the product

into a properly labelled and tightly closed container. Clean

contaminated floors and objects thoroughly, observing environmental

regulations. Keep in suitable, closed containers for disposal.

6.4 Reference to other

sections

Information regarding safe handling, see section 7.

Information regarding personal protective equipment, see section 8.

Information regarding waste disposal, see section 13.



IMPULSE
Version 2 / NZ
Revision Date: 29.07.2021

102000007367 Print Date: 29.07.2021

SECTION 7: HANDLING AND STORAGE

7.1 Precautions for safe handling

Advice on safe handling Handle and open container in a manner as to prevent spillage. Use only

in area provided with appropriate exhaust ventilation.

Hygiene measures Avoid contact with skin, eyes and clothing. Keep working clothes

separately. Wash hands immediately after work, if necessary take a shower. Remove soiled clothing immediately and clean thoroughly before using again. Garments that cannot be cleaned must be

destroyed (burnt).

7.2 Conditions for safe storage, including any incompatibilities

Requirements for storage areas and containers

Store in original container. Keep containers tightly closed in a dry, cool and well-ventilated place. Store in a place accessible by authorized

persons only. Keep away from direct sunlight.

Advice on common storage Keep away from food, drink and animal feedingstuffs.

Suitable materials HDPE (high density polyethylene)7.3 Specific end use(s) Refer to the label and/or leaflet.

SECTION 8: EXPOSURE CONTROLS/PERSONAL PROTECTION

8.1 Control parameters

Components	CAS-No.	Control parameters	Update	Basis
Spiroxamine	118134-30-8	0.6 mg/m3		OES BCS*
·		(SK-SEN)		

^{*}OES BCS: Internal Bayer AG, Crop Science Division "Occupational Exposure Standard"

8.2 Exposure controls

Personal protective equipment

Formulated product

Respiratory protection If product is handled while not enclosed, and if contact may occur:

Wear respirator with an organic vapours and gas filter mask (protection factor 10) conforming to EN140 type A or equivalent. Respiratory protection should only be used to control residual risk of short duration activities, when all reasonably practicable steps have been taken to reduce exposure at source e.g. containment and/or local extract ventilation. Always follow respirator manufacturer's

instructions regarding wearing and maintenance.

Hand protection Please observe the instructions regarding permeability and

breakthrough time which are provided by the supplier of the gloves. Also take into consideration the specific local conditions under which the product is used, such as the danger of cuts, abrasion, and the

contact time.

Wash gloves when contaminated. Dispose of when contaminated inside, when perforated or when contamination on the outside cannot be removed. Wash hands frequently and always before eating.

drinking, smoking or using the toilet.



 IMPULSE

 Version 2 / NZ
 Revision Date: 29.07.2021

 102000007367
 Print Date: 29.07.2021

Material Nitrile rubber
Rate of permeability > 480 min
Glove thickness > 0.4 mm
Protective index Class 6

Directive Protective gloves complying with EN

374.

Eye protection Wear goggles (conforming to EN166, Field of Use = 5 or equivalent)

and faceshield (conforming to EN166, Field of Use = 3 or

equivalent).

Skin and body protection Wear standard coveralls and Category 3 Type 4 suit.

If there is a risk of significant exposure, consider a higher protective

type suit.

Wear two layers of clothing wherever possible. Polyester/cotton or cotton overalls should be worn under chemical protection suit and

should be professionally laundered frequently.

If chemical protection suit is splashed, sprayed or significantly contaminated, decontaminate as far as possible, then carefully

remove and dispose of as advised by manufacturer.

General protective measures If product is handled while not enclosed, and if contact may occur:

Complete suit protecting against chemicals

SECTION 9: PHYSICAL AND CHEMICAL PROPERTIES

9.1 Information on basic physical and chemical properties

Form

Liquid, clear to slightly turbid

Colour yellow to brown

Odour aromatic

Odour Threshold No data available

pH 9.4 (ca. 1 %) (23 °C) (deionized water)

Melting point/rangeNo data availableBoiling PointNo data available

Flash point 108 °C

Flammability No data available

Auto-ignition temperature 265 °C

Thermal decomposition No data available

Ignition temperature The product is not self-ignitable.

Minimum ignition energy No data available
Self-accelarating No data available

decomposition temperature

(SADT)

(SADT)

Upper explosion limitNo data availableLower explosion limitNo data availableVapour pressureNo data available



Print Date: 29.07.2021

IMPULSE
Version 2 / NZ
Revision Date: 29.07.2021

Evaporation rateNo data availableRelative vapour densityNo data availableRelative densityNo data available

Water solubility emulsifiable

Partition coefficient: n-

octanol/water

Density

102000007367

Spiroxamine: log Pow: 2.8 - 3.0 (20 °C) (pH 7)

Viscosity, dynamic

Viscosity, kinematic

No data available

No data available

No oxidizing properties

Explosivity Not explosive

92/69/EEC, A.14 / OECD 113

ca. 1.00 g/cm3 (20 °C)

9.2 Other information Further safety related physical-chemical data are not known.

SECTION 10: STABILITY AND REACTIVITY

10.1 Reactivity Stable under normal conditions.

10.2 Chemical stability Stable under recommended storage conditions.

10.3 Possibility of hazardous reactions

No hazardous reactions when stored and handled according to

prescribed instructions.

10.4 Conditions to avoid Extremes of temperature and direct sunlight.

10.5 Incompatible materials Store only in the original container.

10.6 Hazardous

decomposition products

No decomposition products expected under normal conditions of use.

SECTION 11: TOXICOLOGICAL INFORMATION

11.1 Information on toxicological effects

Acute oral toxicity LD50 (Rat) > 500 - < 1,000 mg/kg

Test conducted with a similar formulation.

Acute inhalation toxicity LC50 (Rat) 2.323 mg/l

Exposure time: 4 h

Determined in the form of a respirable aerosol. Test conducted with a similar formulation.

Acute dermal toxicity LD50 (Rat) > 2,000 mg/kg

Test conducted with a similar formulation.

Skin corrosion/irritation Irritating to skin. (Rabbit)



IMPULSE 8/11

 Version 2 / NZ
 Revision Date: 29.07.2021

 102000007367
 Print Date: 29.07.2021

Test conducted with a similar formulation.

Serious eye damage/eye

Severe eye irritation. (Rabbit)

irritation

Test conducted with a similar formulation.

Respiratory or skin sensitisation

Skin: Non-sensitizing. (Guinea pig) OECD Test Guideline 406, Buehler test

Skin: Sensitising (Mouse)

OECD Test Guideline 429, local lymph node assay (LLNA)

Assessment STOT Specific target organ toxicity – single exposure

Spiroxamine: Based on available data, the classification criteria are not met.

Assessment STOT Specific target organ toxicity - repeated exposure

Spiroxamine caused specific target organ toxicity in experimental animal studies in dogs in the following organ(s): Eyes.

Assessment mutagenicity

Spiroxamine was not mutagenic or genotoxic in a battery of in vitro and in vivo tests.

Assessment carcinogenicity

Spiroxamine was not carcinogenic in lifetime feeding studies in rats and mice.

Assessment toxicity to reproduction

Spiroxamine caused reproduction toxicity in a two-generation study in rats only at dose levels also toxic to the parent animals. The reproduction toxicity seen with Spiroxamine is related to parental toxicity.

Assessment developmental toxicity

Spiroxamine caused developmental toxicity only at dose levels toxic to the dams. The developmental effects seen with Spiroxamine are related to maternal toxicity.

Aspiration hazard

Based on available data, the classification criteria are not met.

SECTION 12: ECOLOGICAL INFORMATION

12.1 Toxicity

Toxicity to fish LC50 (Oncorhynchus mykiss (rainbow trout)) 11.5 mg/l

Exposure time: 96 h

Test conducted with a similar formulation.

EC50 (Daphnia magna (Water flea)) 10.3 mg/l

Toxicity to aquatic invertebrates

Exposure time: 48 h

Test conducted with a similar formulation.

Toxicity to aquatic plants EC50 (Desmodesmus subspicatus (green algae)) 0.029 mg/l

Growth rate; Exposure time: 72 h

Test conducted with a similar formulation.

12.2 Persistence and degradability

Biodegradability Spiroxamine:

Not rapidly biodegradable

Koc Spiroxamine: Koc: 2415



IMPULSE 9/11 Version 2/NZ Revision Date: 29.07.2021

102000007367 Print Date: 29.07.2021

12.3 Bioaccumulative potential

Spiroxamine: Bioconcentration factor (BCF) 87 **Bioaccumulation**

Does not bioaccumulate.

12.4 Mobility in soil

Mobility in soil Spiroxamine: Slightly mobile in soils

12.5 Results of PBT and vPvB assessment

PBT and vPvB assessment Spiroxamine: This substance is not considered to be persistent,

bioaccumulative and toxic (PBT). This substance is not considered to be

very persistent and very bioaccumulative (vPvB).

12.6 Other adverse effects

Additional ecological

information

No other effects to be mentioned.

SECTION 13: DISPOSAL CONSIDERATIONS

13.1 Waste treatment methods

Product Dispose of this product only by using according to the label, or at an

approved landfill or other approved facility.

Triple rinse containers. Recycle if possible. If allowed under local Contaminated packaging

> authority, burn if circumstances, especially wind direction permit, otherwise crush and bury in an approved local authority facility. Do not

use container for any other purpose.

SECTION 14: TRANSPORT INFORMATION

This transportation information is not intended to convey all specific regulatory information relating to this product. It does not address regulatory variations due to package size or special transportation requirements.

ADR/RID/ADN

14.1 UN number 3082

14.2 Proper shipping name ENVIRONMENTALLY HAZARDOUS SUBSTANCE, LIQUID,

N.O.S.

(SPIROXAMINE, BENZYLALCOHOL SOLUTION)

14.3 Transport hazard class(es)

14.4 Packaging Group Ш

14.5 Environm. Hazardous Mark YES Hazchem Code 3Z

IMDG

14.1 UN number 3082

14.2 Proper shipping name ENVIRONMENTALLY HAZARDOUS SUBSTANCE, LIQUID,

9

(SPIROXAMINE, BENZYLALCOHOL SOLUTION)

14.3 Transport hazard class(es)

Ш

14.4 Packaging Group 14.5 Marine pollutant YES



IMPULSE 10/11

 Version 2 / NZ
 Revision Date: 29.07.2021

 102000007367
 Print Date: 29.07.2021

IATA

14.1 UN number **3082**

14.2 Proper shipping name ENVIRONMENTALLY HAZARDOUS SUBSTANCE, LIQUID,

N.O.S.

(SPIROXAMINE, BENZYLALCOHOL SOLUTION)

14.3 Transport hazard class(es) 9
14.4 Packaging Group III
14.5 Environm. Hazardous Mark YES

14.6 Special precautions for user

See sections 6 to 8 of this Safety Data Sheet.

14.7 Transport in bulk according to Annex II of MARPOL and the IBC Code

No transport in bulk according to the IBC Code.

SECTION 15: REGULATORY INFORMATION

15.1 Safety, health and environmental regulations/legislation specific for the substance or mixture

Further information

HSNO approval-Nr. HSR007652

HSNO Controls See www.epa.govt.nz

ACVM Reg. P7419

ACVM Condition See www.foodsafety.govt.nz

SECTION 16: OTHER INFORMATION

Abbreviations and acronyms

ADN European Agreement concerning the International Carriage of Dangerous Goods by

Inland Waterways

ADR European Agreement concerning the International Carriage of Dangerous Goods by

Road

ATE Acute toxicity estimate

CAS-Nr. Chemical Abstracts Service number

Conc. Concentration

ECx Effective concentration to x %

EINECS European inventory of existing commercial substances

ELINCS European list of notified chemical substances

EN European Standard EU European Union

IATA International Air Transport Association

IBC International Code for the Construction and Equipment of Ships Carrying Dangerous

Chemicals in Bulk (IBC Code)

ICx Inhibition concentration to x %

IMDG International Maritime Dangerous Goods

LCx Lethal concentration to x %

LDx Lethal dose to x %

LOEC/LOEL Lowest observed effect concentration/level



IMPULSE
Version 2 / NZ
Revision Date: 29.07.2021

102000007367 Print Date: 29.07.2021

MARPOL: International Convention for the prevention of marine pollution from ships

N.O.S. Not otherwise specified

NOEC/NOEL No observed effect concentration/level

OECD Organization for Economic Co-operation and Development

RID Regulations concerning the International Carriage of Dangerous Goods by Rail

TWA Time weighted average

UN United Nations

WHO World health organisation

The data given here is based on current knowledge and experience. The purpose of this Safety Data Sheet is to describe products in terms of their safety requirements. The above details do not imply any guarantee concerning composition, properties or performance of the product.

Changes since the last version are highlighted in the margin. This version replaces all previous versions.