

# SAKURA 850 WG

Version 1/NZ 102000023097 1/11 Revision Date: 28.04.2023 Print Date: 28.04.2023

# SECTION 1: IDENTIFICATION OF THE SUBSTANCE/MIXTURE AND OF THE COMPANY/UNDERTAKING

1.1 Product identifier

Trade name	SAKURA 850 WG
Product code (UVP)	79642040

1.2 Relevant identified uses of the substance or mixture and uses advised against

Use	Herbicide
EPA-Nr.	HSR101273

### 1.3 Details of the supplier of the safety data sheet

Supplier	Bayer New Zealand Limited Crop Science Division B:HIVE Building 74 Taharoto Rd Smales Farm Takapuna Auckland, 0622 New Zealand
Telephone	0800 428 246
Telefax	(09) 441 8645

### 1.4 Emergency telephone no.

Emergency Number	0800 734 607 (24hr)
Global Incident Response Hotline (24h)	+1 (760) 476-3964 (Company 3E for Bayer AG, Crop Science Division)

# SECTION 2: HAZARDS IDENTIFICATION

# 2.1 Classification of the substance or mixture

Classified as hazardous according to the criteria in the Hazardous Substances (Minimum Degrees of Hazard) Notice 2020 as amended

Skin Sens. 1 H317	May cause an allergic skin reaction.
Repr. 2 H361	Suspected of damaging fertility or the unborn child if swallowed.
STOT RE 1 H372	Causes damage to organs through prolonged or repeated exposure if swallowed.



# SAKURA 850 WG

Version 1/NZ 102000023097 2/11 Revision Date: 28.04.2023 Print Date: 28.04.2023

Aquatic Chronic 1H410Very toxic to aquatic life with long lasting effects.

Hazardous to soil organisms H421 Very toxic to the soil environment.

### 2.2 Label elements

# Labelling in accordance with the Hazardous Substances (Safety Data Sheets) Notice 2020 as amended

Hazard label for supply/use required.



### Signal word: Danger

### Hazard statements

H317	May cause an allergic skin reaction.
H361	Suspected of damaging fertility or the unborn child if swallowed.
H372	Causes damage to organs through prolonged or repeated exposure if swallowed.
H410	Very toxic to aquatic life with long lasting effects.
H421	Very toxic to the soil environment.

### **Precautionary statements**

P102	Keep out of reach of children.
P201	Obtain special instructions before use.
P202	Do not handle until all safety precautions have been read and understood.
P308 + P311	IF exposed or concerned: Call a POISON CENTER/ doctor/ physician.
P391	Collect spillage.
P321	Specific treatment (see supplemental first aid instructions on this label).
P501	Dispose of contents/container in accordance with local regulation.

# 2.3 Other hazards

No additional hazards known beside those mentioned.

# SECTION 3: COMPOSITION/INFORMATION ON INGREDIENTS

### 3.2 Mixtures

### **Chemical nature**

Water dispersible granules (WG) Pyroxasulfone 850g/kg

# Hazardous components

Chemical name	CAS-No.	Conc. [%]
Pyroxasulfone	447399-55-5	85
Sodium dioctyl sulphosuccinate	577-11-7	> 1 - < 3



**SAKURA 850 WG** 

Version 1/NZ 102000023097

### **SECTION 4: FIRST AID MEASURES**

#### 4.1 Description of first aid measures

Inhalation	Move the victim to fresh air and keep at rest. If symptoms persist, call a physician.
Skin contact	Take off contaminated clothing and shoes immediately. Wash off thoroughly with plenty of soap and water, if available with polyethyleneglycol 400, subsequently rinse with water. If symptoms persist, call a physician.
Eye contact	Rinse immediately with plenty of water, also under the eyelids, for at least 15 minutes. Get medical attention if irritation develops and persists.
Ingestion	Rinse mouth. Do NOT induce vomiting. Call a physician or poison control center immediately.

### 4.2 Most important symptoms and effects, both acute and delayed

Symptoms	To date no symptoms are known.
----------	--------------------------------

#### 4.3 Indication of any immediate medical attention and special treatment needed

Treatment Treat symptomatically. There is no specific antidote. Gastric lavage is not normally required. However, if a significant amount (more than a mouthful) has been ingested, administer activated charcoal and sodium sulphate.

Contact the National Poisons and Hazardous Chemicals Information center in Dunedin, PO Box 913, Dunedin. Phone 0800 POISON (0800 764 766).

# SECTION 5: FIREFIGHTING MEASURES

5.1 Extinguishing media	
Suitable	Water spray, Carbon dioxide (CO2), Foam, Sand
5.2 Special hazards arising from the substance or mixture	In the event of fire the following may be released:, Carbon monoxide (CO), Carbon dioxide (CO2), Nitrogen oxides (NOx), Sulphur oxides, Hydrogen fluoride, Hydrogen cyanide (hydrocyanic acid)
5.3 Advice for firefighters	
Special protective equipment for firefighters	In the event of fire, wear self-contained breathing apparatus.
Further information	Remove product from areas of fire, or otherwise cool containers with water in order to avoid pressure being built up due to heat. Whenever possible, contain fire-fighting water by diking area with sand or earth. Collect contaminated fire extinguishing water separately. This must not be discharged into drains.



SAKURA 850 WG

Version 1/NZ 102000023097 4/11 Revision Date: 28.04.2023 Print Date: 28.04.2023

# SECTION 6: ACCIDENTAL RELEASE MEASURES

### 6.1 Personal precautions, protective equipment and emergency procedures

Precautions	Avoid contact with spilled product or contaminated surfaces. When dealing with a spillage do not eat, drink or smoke. Use personal protective equipment. Keep unauthorized people away. Avoid dust formation.	
6.2 Environmental precautions	Contain contaminated water and fire fighting water. If the product contaminates rivers and lakes or drains inform respective authorities.	
6.3 Methods and materials for containment and cleaning up		
Methods for cleaning up	Soak up with inert absorbent material (e.g. sand, silica gel, acid binder, universal binder, sawdust). Sweep up or vacuum up spillage and collect in suitable container for disposal.	
Additional advice	Inform appropriate authorities immediately if contamination occurs.	
6.4 Reference to other sections	Information regarding safe handling, see section 7. Information regarding personal protective equipment, see section 8. Information regarding waste disposal, see section 13.	

# SECTION 7: HANDLING AND STORAGE

#### 7.1 Precautions for safe handling

Advice on safe handling	Avoid dust formation. Ensure adequate ventilation.	
Hygiene measures	Avoid contact with skin, eyes and clothing. Wear elbow length PVC gloves when handling product or treated seed. Wash hands thorough with soap and water after handling and before eating, drinking, chewingum, using tobacco, using the toilet or applying cosmetics. After each day's use, wash gloves, face shield or goggles and contaminated clothing.	
7.2 Conditions for safe stor	age, including any incompatibilities	
Requirements for storage areas and containers	Keep out of the reach of children. Store in original container. Keep containers tightly closed in a dry, cool and well-ventilated place. Keep away from direct sunlight.	

Advice on common storage Keep away from food, drink and animal feedingstuffs.

# SECTION 8: EXPOSURE CONTROLS/PERSONAL PROTECTION

#### 8.1 Control parameters

Components	CAS-No.	Control parameters	Update	Basis
Diatomaceaous earth	61790-53-2	10 mg/m3 (TWA)	06 2016	NZ OEL
Crystalline quartz (respirable)	14808-60-7	0.1 mg/m3 (TWA)	06 2016	NZ OEL

# SAKURA 850 WG

Version 1/NZ 102000023097 5/11 Revision Date: 28.04.2023 Print Date: 28.04.2023

(Respirable dust.)				
Crystalline quartz (respirable)	14808-60-7	0.05 mg/m3 (TWA)	04 2022	NZ OEL
(Respirable dust.)				

# 8.2 Exposure controls

### Personal protective equipment

In normal use and handling conditions please refer to the label and/or leaflet. In all other cases the following recommendations would apply.

Respiratory protection	Use respiratory protection for organic vapours. Self-contained breathing apparatus (EN 133)	
Hand protection	Please observe the instructions regarding permeability and breakthrough time which are provided by the supplier of the gloves.Also take into consideration the specific local conditions under which the product is used, such as the danger of cuts, abrasion, and the contact time.Wash gloves when contaminated. Dispose of when contaminated 	
Eye protection	Wear goggles (conforming	to EN166, Field of Use = 5 or equivalent).
Skin and body protection	Wear standard coveralls and Category 3 Type 4 suit. If there is a risk of significant exposure, consider a higher protective type suit. Wear two layers of clothing wherever possible. Polyester/cotton or cotton overalls should be worn under chemical protection suit and should be professionally laundered frequently.	

# SECTION 9: PHYSICAL AND CHEMICAL PROPERTIES

## 9.1 Information on basic physical and chemical properties

Form	water-dispersible granules, cylindrical
Colour	light brown
Odour	No data available
Odour Threshold	No data available
рН	No data available
Melting point/range	No data available
Boiling Point	No data available

# SAKURA 850 WG

Version 1/NZ 102000023097



6/11 Revision Date: 28.04.2023 Print Date: 28.04.2023

Flash point	No data available
Flammability	No data available
Auto-ignition temperature	No data available
Thermal decomposition	No data available
Minimum ignition energy	> 30 - < 100 mJ measured without induction
Self-accelarating decomposition temperature (SADT)	No data available
Upper explosion limit	No data available
Lower explosion limit	No data available
Vapour pressure	0.0000024 PA (25 °C) The value mentioned relates to the active ingredient.
Evaporation rate	No data available
Relative vapour density	No data available
Relative density	No data available
Density	No data available
Water solubility	No data available
Partition coefficient: n- octanol/water	log Pow: 2.39 (25 °C) The value mentioned relates to the active ingredient.
Partition coefficient: n- octanol/water	Pyroxasulfone: log Pow: 2.39 (25 °C) (pH 8.7)
Viscosity, dynamic	No data available
Viscosity, kinematic	No data available
Oxidizing properties	No data available
Explosivity	No data available
Dust content	
9.2 Other information	Further safety related physical-chemical data are not known.

# SECTION 10: STABILITY AND REACTIVITY

10.1 Reactivity	Stable under normal conditions.
10.2 Chemical stability	Stable under recommended storage conditions.
10.3 Possibility of hazardous reactions	No hazardous reactions known.



SAKURA 850 WG

Version 1 / NZ 102000023097

7/11 Revision Date: 28.04.2023 Print Date: 28.04.2023

10.4 Conditions to avoid	Extremes of temperature and direct sunlight.
10.5 Incompatible materials	Strong acids, Strong bases
10.6 Hazardous decomposition products	Thermal decomposition can lead to release of: Oxides of carbon Nitrogen oxides (NOx) Sulphur oxides Hydrogen fluoride Hydrogen cyanide (hydrocyanic acid)

# SECTION 11: TOXICOLOGICAL INFORMATION

### 11.1 Information on toxicological effects

Acute oral toxicity	LD50 (Rat) > 2,000 mg/kg
Acute inhalation toxicity	LC50 (Rat) > 5.8 mg/l Exposure time: 4 h
Acute dermal toxicity	LD50 (Rat) > 2,000 mg/kg
Skin corrosion/irritation	No skin irritation (Rabbit)
Serious eye damage/eye irritation	No eye irritation (Rabbit)
Respiratory or skin sensitisation	Skin: Sensitising (Guinea pig) OECD Test Guideline 406, Buehler test

### Assessment STOT Specific target organ toxicity – single exposure

Pyroxasulfone: Based on available data, the classification criteria are not met.

### Assessment STOT Specific target organ toxicity – repeated exposure

Pyroxasulfone caused specific target organ toxicity in experimental animal studies in the following organ(s): Liver, Kidney, urinary bladder, Heart.

### Assessment mutagenicity

Pyroxasulfone was not mutagenic or genotoxic in a battery of in vitro and in vivo tests.

#### Assessment carcinogenicity

Pyroxasulfone was not carcinogenic in lifetime feeding studies in mice. Pyroxasulfone caused an increased incidence of tumours in rats in the following organ(s): urinary bladder. The tumours seen with Pyroxasulfone were caused through a non-genotoxic mechanism, which is not relevant at low doses.

### Assessment toxicity to reproduction

Pyroxasulfone did not cause reproductive toxicity in a two-generation study in rats.

### Assessment developmental toxicity

Pyroxasulfone did not cause developmental toxicity in rats and rabbits.

### Aspiration hazard

Based on available data, the classification criteria are not met.



# SAKURA 850 WG

Version 1/NZ 102000023097 **8/11** Revision Date: 28.04.2023 Print Date: 28.04.2023

### **Further information**

No further toxicological information is available.

### 11.2 Information on other hazards

#### Endocrine disrupting properties Assessment Th

The substance/mixture does not contain components considered to have endocrine disrupting properties according to REACH Article 57(f) or Commission Delegated regulation (EU) 2017/2100 or Commission Regulation (EU) 2018/605 at levels of 0.1% or higher.

# SECTION 12: ECOLOGICAL INFORMATION

#### 12.1 Toxicity

Toxicity to fish	LC50 (Oncorhynchus mykiss (rainbow trout)) > 2.2 mg/l Exposure time: 96 h The value mentioned relates to the active ingredient pyroxasulfone.
	LC50 (Lepomis macrochirus (Bluegill sunfish)) > 2.8 mg/l Exposure time: 96 h The value mentioned relates to the active ingredient pyroxasulfone.
Toxicity to aquatic invertebrates	EC50 (Daphnia magna (Water flea)) > 4.4 mg/l Exposure time: 48 h The value mentioned relates to the active ingredient pyroxasulfone.
Toxicity to aquatic plants	EC50 (Raphidocelis subcapit <i>a</i> ta (freshwater green alga)) 0.00079 mg/l Exposure time: 96 h The value mentioned relates to the active ingredient pyroxasulfone.
Toxicity to other organisms	LD50 (Colinus virginianus (Bobwhite quail)) > 2,250 mg/kg The value mentioned relates to the active ingredient pyroxasulfone.
	LD50 (Apis mellifera (bees)) 0.1mg/bee Exposure time: 48 h The value mentioned relates to the active ingredient pyroxasulfone.
12.2 Persistence and degrad	ability
Biodegradability	No data available
Biodegradability	Pyroxasulfone: Not rapidly biodegradable
Кос	Pyroxasulfone: Koc: 95
12.3 Bioaccumulative potent	ial
Bioaccumulation	No data available
Bioaccumulation	Pyroxasulfone: Does not bioaccumulate.
12.4 Mobility in soil	
Mobility in soil	Pyroxasulfone: Mobile in soils



# SAKURA 850 WG

Version	1 / NZ	
10200002	3097	

**9/11** Revision Date: 28.04.2023 Print Date: 28.04.2023

### 12.5 Results of PBT and vPvB assessment

PBT and vPvB assessment	Pyroxasulfone: This substance is not considered to be persistent, bioaccumulative and toxic (PBT). This substance is not considered to be very persistent and very bioaccumulative (vPvB).
12.6 Endocrine disrupting pr	roperties
Assessment	The substance/mixture does not contain components considered to have endocrine disrupting properties according to REACH Article 57(f) or Commission Delegated regulation (EU) 2017/2100 or Commission Regulation (EU) 2018/605 at levels of 0.1% or higher.
12.7 Other adverse effects	
Additional ecological information	No other effects to be mentioned.

# SECTION 13: DISPOSAL CONSIDERATIONS

#### 13.1 Waste treatment methods

Product	Dispose of this product only by using according to the label, or at an approved landfill or other approved facility.
Contaminated packaging	Triple rinse containers. Recycle if possible. If allowed under local authority, burn if circumstances, especially wind direction permit, otherwise crush and bury in an approved local authority facility. Do not use container for any other purpose.

# **SECTION 14: TRANSPORT INFORMATION**

This transportation information is not intended to convey all specific regulatory information relating to this product. It does not address regulatory variations due to package size or special transportation requirements.

<b>ADR/RID/ADN</b> 14.1 UN number 14.2 Proper shipping name	<b>3077</b> ENVIRONMENTALLY HAZARDOUS SUBSTANCE, SOLID, N.O.S. (PYROXASULFONE MIXTURE)
14.3 Transport hazard class(es) 14.4 Packaging Group 14.5 Environm. Hazardous Mark Hazchem Code	9 III YES 2Z
IMDG	
14.1 UN number 14.2 Proper shipping name	<b>3077</b> ENVIRONMENTALLY HAZARDOUS SUBSTANCE, SOLID, N.O.S. (PYROXASULFONE MIXTURE)
14.3 Transport hazard class(es) 14.4 Packaging Group 14.5 Marine pollutant	9 III YES

**SAKURA 850 WG** 

Version 1/NZ 102000023097 **10/11** Revision Date: 28.04.2023 Print Date: 28.04.2023

ΙΑΤΑ	
14.1 UN number	3077
14.2 Proper shipping name	ENVIRONMENTALLY HAZARDOUS SUBSTANCE, SOLID, N.O.S.
	(PYROXASULFONE MIXTURE )
14.3 Transport hazard class(es)	9
14.4 Packaging Group	III
14.5 Environm. Hazardous Mark	YES

# 14.6 Special precautions for user

See sections 6 to 8 of this Safety Data Sheet.

# 14.7 Transport in bulk according to IMO instruments

No transport in bulk according to the IBC Code.

# SECTION 15: REGULATORY INFORMATION

# 15.1 Safety, health and environmental regulations/legislation specific for the substance or mixture

#### Further information

HSNO approval-Nr.HSR101273HSNO ControlsSee www.epa.govt.nzACVM Reg.P9449ACVM ConditionSee www.foodsafety.govt.nz

### **SECTION 16: OTHER INFORMATION**

#### Abbreviations and acronyms

ADN	European Agreement concerning the International Carriage of Dangerous Goods by Inland Waterways
ADR	European Agreement concerning the International Carriage of Dangerous Goods by Road
ATE	Acute toxicity estimate
CAS-Nr.	Chemical Abstracts Service number
Conc.	Concentration
ECx	Effective concentration to x %
EINECS	European inventory of existing commercial substances
ELINCS	European list of notified chemical substances
EN	European Standard
EU	European Union
IATA	International Air Transport Association
IBC	International Code for the Construction and Equipment of Ships Carrying Dangerous
	Chemicals in Bulk (IBC Code)
ICx	Inhibition concentration to x %
IMDG	International Maritime Dangerous Goods
LCx	Lethal concentration to x %
LDx	Lethal dose to x %
LOEC/LOEL	Lowest observed effect concentration/level
MARPOL	MARPOL: International Convention for the prevention of marine pollution from ships





SAKURA 850 WG

Version 1/NZ 102000023097 11/11 Revision Date: 28.04.2023 Print Date: 28.04.2023

N.O.S. NOEC/NOEL	Not otherwise specified No observed effect concentration/level
OECD	Organization for Economic Co-operation and Development
RID	Regulations concerning the International Carriage of Dangerous Goods by Rail
TWA	Time weighted average
UN	United Nations
WHO	World health organisation

The data given here is based on current knowledge and experience. The purpose of this Safety Data Sheet is to describe products in terms of their safety requirements. The above details do not imply any guarantee concerning composition, properties or performance of the product.

Changes since the last version are highlighted in the margin. This version replaces all previous versions.