



CS: 1.7.2

1 of 5 Page:

Infosafe No™ 3NUAT Issue Date : March 2020 ISSUED by NUFARM

Product Name suSCon® GREEN

1. Identification

GHS Product

suSCon® GREEN

Identifier

03763 **Product Code**

Organophosphate Insecticide **Product Type**

Nufarm N7 **Company Name**

Address 6 Manu Street, Otahuhu

Auckland 2024 New Zealand

Telephone/Fax

Number

Emergency phone

0800 651 911

number

Email

info@nz.nufarm.com

Tel: 0-9-270 4150

Recommended use of Controls grass grub and manuka beetle in turf, cereals, cloverseed and pasture, also black vine weevil in ornamentals, using controlled release

the chemical and technology. restrictions on use

2. Hazard Identification

6.1D acute toxicant, 6.8B reproductive or developmental toxicant, Other Information 6.9A

target organ toxicant, 9.1A aquatic toxicant, 9.3C terrestrial vertebrate

9.4A terrestrial invertebrate toxicant, toxicant.

TOXICITY

Harmful - may be harmful if swallowed, inhaled or absorbed through the skin.

May cause reproductive/development damage from repeated oral exposure.

Toxic - may cause nervous system damage from repeated oral exposure at high

doses. ECOTOXIC

Very toxic to fish and aquatic organisms.

Harmful to terrestrial vertebrates.

Very toxic to terrestrial invertebrates.

3. Composition/information on ingredients Solid

Chemical

Characterization

Print Date: 16/03/2020

Ingredients Name CAS Proportion

> Chlorpyrifos 2921-88-2 100g/kg pigment N/A <10% < 90% Ingredients determined

to be non-hazardous

4. First-aid measures

For advice contact the National Poisons Centre 0800 POISON (0800 764 $\overline{\mbox{766}}$) or a First Aid Measures

doctor immediately. Begin artificial respiration if the victim is not breathing. Use mouth-to-nose rather than mouth-to mouth. Obtain medical

attention.

Remove patient to fresh air. Lay down and keep warm and rested. If breathing Inhalation

is shallow or has stopped ensure airway is clear and apply resuscitation.

Seek medical assistance immediately.

Never give anything by mouth to an unconscious person. If swallowed do NOT Ingestion

induce vomiting. For advice, contact the National Poisons Centre (0800 764

766). Seek medical assistance immediately.

Immediately flush body and clothes with large amounts of water. Remove Skin

contaminated clothing and footwear. Wash affected areas with soap and water.

If a large area is affected seek medical assistance.

Flush eyes with plenty of water for 15 minutes holding eyelids open if Eve contact

necessary. Seek medical assistance. Remove contact lenses, if present and

easy to do.

Facilities storing or utilizing this material should be equipped with an **First Aid Facilities**

eyewash facility and safety shower.

Initial Treatment: Atropine is the specific antidote. Large amounts are Advice to Doctor

required in organophosphate poisoning. An initial trial dose of atropine 2mg





Page: 2 of 5

Product Name suSCon® GREEN

intravenously should be given and repeated every 15 minutes until an atropine effect is noted (dilated pupils, dry mouth, flushing of the skin). Reduce to a schedule that maintains full atropinisation for at least 24 hours. The dose and frequency of atropine will vary from case to case.

Medical: Take blood samples for cholinesterase levels before starting treatment. Stomach washout if organophosphate has been ingested. Pralidoxime enhances the reactivation of acetyl cholinesterase. It is most effective if given early, but can still be started up to 48 hours after poisoning. Pralidoxime is given at a dose of 1-2mg by slow I.V. infusion at a maximum rate of 0.5gm/min. It is used as an adjunct to, not a replacement for

Respiratory Difficulty - Carefully monitor for 24 hours.

Convulsions - Control with Diazepam (Valium) 5-10mg by slow I.V. or I.M.

repeat as necessary.

atropine.

5. Fire-fighting measures

Suitable extinguishing media

Choose extinguishing media to suit the burning material. Water fog, foam, carbon dioxide or dry chemical.

Hazards from Combustion

If involved in a fire, it may emit oxides of carbon, oxides of nitrogen,

oxides of sulphur, oxides of phoshorous and hydrogen chloride.

Products

Special Protective

Full protective clothing and self-contained breathing apparatus.

Equipment for fire

fighters
Specific Methods

Hazchem Code 2X

Other Information Location Certificate: Not applicable

Keep up wind.

Hazardous Atmosphere Zone: Not applicable Number of Fire Extinguishers: Not applicable

6. Accidental release measures

Spills & Disposal

Wear protective clothing. Clear area of unprotected personnel. Sweep up solids without generating dust (use water to dampen). If spill does enter waterways contact the local authority. Collect in an appropriate sealable container for disposal in an approved landfill.

Do not allow washings to reach sewage or effluent systems.

Personal Protection

For appropriate personal protective equipment (PPE), refer Section 8.

Environmental Precautions

Prevent from entering drains, waterways or sewers.

7. Handling and storage

Precautions for Safe Handling

Avoid contact with skin and eyes.

APPROVED HANDLER: This product must only be applied by an approved handler or

under the direct supervision of an approved handler.

TRACKING: Is not required.

Keep out of reach of children.

Conditions for safe storage, including any incompatabilities

Store in original container tightly closed and in a locked, dry, cool area

away from foodstuffs and out of direct sunlight. Storage must be in

accordance with NZS 8409 Management of Agrichemicals.

Stores containing 100kg of suSCon GREEN are subject to signage, and more

than 100kg require emergency response plans.

Other Information Always read the label and any attached leaflet before use.

Aggregate Storage Volume Thresholds:

When stored with substances of the same hazard classification the aggregate quantity must be considered. For full details refer to the current NZS8409

Management of Agrichemicals and the HSNO Regulations.

8. Exposure controls/personal protection

Occupational exposure limit values Appropriate engineering controls No exposure limits (WES, TEL or EEL's) have been specifically assigned for this product. WES TWA for chlorpyrifos = 0.2mg/m^3 skin

Handle in well ventilated areas, generally natural ventilation is adequate.

Personal Protective When opening the container, using the product or handling treated compost wear cotton overalls buttoned to the neck and wrist(& worn outside boots) washable

Print Date: 16/03/2020 CS: 1.7.2





Page: 3 of 5

Infosafe No™ 3NUAT Issue Date : March 2020 ISSUED by NUFARM

Product Name suSCon® GREEN

hat, elbow length PVC gloves, impervious boots and a full face respirator with

an organic vapour and particulate matter cartridge.

Do not eat, drink or smoke while using. **Hygiene Measures**

Remove protective clothing and wash hands and face thoroughly before meals

and after work. Wash protective clothing daily after work.

9. Physical and chemical properties

Solid Form

Appearance Dark green granules Odour mild mercaptan odour

100 °C **Melting Point**

Not soluble. Solubility in Water

Not determined. 2.7 mPa (25°C) for chlorpyrifos Vapour Pressure

n-octanol/water

Partition Coefficient: Kow Log P is 4.7 for chlorpyrifos

0.62 - 0.68q/mL (tapped)Density

Other Information (GR) Granule

10. Stability and reactivity

Stable under normal conditions of handling and storage. **Chemical Stability**

Incompatible

Strong oxidizing agents.

Materials

Hazardous polymerisation will not occur. Hazardous

Polymerization

11. Toxicological Information

No harmful effects are expected if the precautions on the label and this SDS Toxicology

are followed. Information

Acute Toxicity - Oral LD50 (rat) = 96mg/kg bw for chlorpyrifos LD50 (rat) = >2,000mg/kg chlorpyrifos

Acute Toxicity -Dermal

Acute Toxicity -

LC50 (4-6h) (rat) = >0.2mg/L chlorpyrifos Inhalation

Possible symptoms of exposure include: nausea, vomiting and central nervous Ingestion

system depression.

Not a likely route of exposure due to the physical form of the product. Inhalation Not a likely route of exposure due to the physical nature of the product. Skin Not a likely route of exposure due to the physical nature of the product. Eve

Not a skin sensitizer. **Skin Sensitisation**

Carcinogenicity Data indicates no carcinogenic effects.

Regular exposure may result in lowering of cholinesterase activity which will **Chronic Effects**

recover within a few days after exposure ceases. Not an eye irritant.

Serious eye

damage/irritation

Skin corrosion/irritation Other Information

Not a skin irritant.

The Australian Acceptable Daily Intake (ADI) for chlorpyrifos for a human is 0.003 mg/kg/day, set for the public for daily, lifetime exposure. This is based on the NOEL of 0.03 mg/kg/day, the level determined to show no effects during long term exposure for the most sensitive indicators and the most sensitive species. (Ref: Comm. Dept. of Health and Ageing, Office of Chemical

Safety, 'ADI List', March 2014).

12. Ecological information

Average field half life of chlorpyrifos is 33 - 56 days. Persistence and

degradability

Print Date: 16/03/2020 CS: 1.7.2





Page: 4 of 5

Product Name suSCon® GREEN

Environmental Fate Chlorpyrifos is rapidly absorbed, metabolised and eliminated in animals. The

rate of hydrolysis in soil is dependant upon pH, with half-lives ranging from

2 to 4 months.

Risk of accumulation in an aquatic species is low.

Bioaccumulative Chlorpyrifos is bioaccumulative.

Potential BCF = 20860 (threespine stickleback) for chlorpyrifos

as they are dangerous to wildlife, particularly birds.

Basis for Assessment Ecotoxicological data have not been determined specifically for this product.

Acute Toxicity - Fish Data below is for the active ingredient unless otherwise stated. LC50 (96h) bluegill sunfish = 0.002 - 0.010 mg/L for chlorpyrifos LC50 (96h) tidewater silverside = 0.0004 mg/L for chlorpyrifos

Chronic NOEC (720h) fathead minnow = 0.012µg/L for chlorpyrifos

Acute Toxicity - LC50 (48h) daphnia = $1.7\mu g/L$ for chlorpyrifos Daphnia LC50 (48h) water flea = $0.058\mu g/L$ for chlorpyrifos

Acute Toxicity - Birds:

Other Organisms LD50 mallard duck = 490mg/kg for chlorpyrifos

LD50 pheasant = 8.41 mg/kg for chlorpyrifos

Bee:

Contact LD50 bee = $0.059\mu g/bee$ for chlorpyrifos

Due to the physical state, this product is not expected to be toxic to bees.

Worms:

LC50 (14d) Earthworm (Eisenia foetida) = 210mg/kg soil for chlorpyrifos

ENVIRONMENTALLY HAZARDOUS SUBSTANCE, SOLID, N.O.S. - (chlorpyrifos, 10%)

13. Disposal considerations

Product Disposal Dispose of product only by using according to the label, or at an approved

landfill.

Container Disposal Ensure container is completely empty. Burn in an appropriate incinerator if

circumstances, such as wind direction, permit. Otherwise crush and bury in an

appropriate landfill.

14. Transport information

Transport It is good practice not to transport agricultural chemical products with

Information food, food related materials and animal feedstuffs.

U.N. Number 3077

UN proper shipping

name Transport hazard

alass(as)

port nazaru --)

class(es)

Hazchem Code 2X

Packaging Method Packing Group III
EPG Number -

IERG Number 47

IMO Marine

Yes. Environmentally Hazardous Substance mark required.

Pollutant

IMDG EMS F-A, S-F

Other Information Do not carry this product on a passenger service vehicle.

Segregation: Check the latest Land Transport Rule Dangerous Goods Rule 45001 for additional information. Sea transport may require additional

segregation. Refer NZS5433 sea segregation for details.

15. Regulatory information

National and or Registered pursuant to the ACVM Act 1997, No. P4025

International See www.foodsafety.govt.nz for registration conditions

Approved pursuant to the HSNO Act 1996, Approval Code HSR000163

Regulatory Approved pursuant to the HSNO Act 1996, See www.epa.govt.nz for approval controls.

Packaging & HARMFUL * ECOTOXIC - keep out of reach of children Labelling

Print Date: 16/03/2020 CS: 1.7.2





Page: 5 of 5

Infosafe No™ 3NUAT Issue Date : March 2020 ISSUED by NUFARM

Product Name suSCon® GREEN

Hazard Rating NFPA/HMIS: 1-1-0

Systems

16. Other Information

February 2015 Date of preparation

or last revision of **SDS**

NORMAL HOURS: Emergency Response Co-ordinator: (649) 268 2920

24Hr Tollfree Emergency No: 0800 651 911

24Hr Emergency No: National Poisons Centre Phone: 0800 764 766

5 yearly review carried out. Revisions

Highlighted

...End Of MSDS...

Contact Person/Point IN AN EMERGENCY, DIAL 111 - FIRE OR POLICE

© Copyright ACOHS Pty Ltd

© Copyright in the source code of the HTML, PDF, XML, XFO and any other electronic files rendered by an Infosafe system for Infosafe MSDS displayed is the intellectual property of Acohs Pty Ltd.

Copyright in the layout, presentation and appearance of each Infosafe MSDS displayed is the intellectual property of Acohs Pty Ltd. The compilation of MSDS's displayed is the intellectual property of Acohs Pty Ltd.

Copying of any MSDS displayed is permitted for personal use only and otherwise is not permitted. In particular the MSDS's displayed cannot be copied for the purpose of sale or licence or for inclusion as part of a collection of MSDS without the express written consent of Acohs Pty Ltd.

Print Date: 16/03/2020 CS: 1.7.2