

Infosafe No™ 3NUGV	Issue Date : May 2022	ISSUED by NUFARMNZ
--------------------	-----------------------	--------------------

Product Name **VALDO® 800 WG**

Section 1 - Identification

Product Identifier	VALDO® 800 WG
Product Code	01696
Product Type	Herbicide
Company Name	Nufarm NZ
Address	6 Manu Street, Otahuhu Auckland 2024 New Zealand
Telephone/Fax Number	Tel: 0-9-270 4150
Emergency Phone Number	0800 651 911
Email	info@nz.nufarm.com
Recommended uses and any restrictions on use or supply	For post-emergent control of broadleaf weeds in clover, lucerne, chicory, new and mature pasture and maize.
Other Information	This SDS describes, to the best of our knowledge, the properties of the concentrated product. The physical properties and some of the assessments do not apply to the properties of the product once it has been diluted for application. Acute health effects of the diluted product are likely to be much less severe.

Section 2 - Hazard(s) Identification

Other Information	9.1A aquatic toxicant, 9.2A soil toxicant, ECOTOXIC Very toxic to aquatic organisms with long-lasting effects. Selective herbicide - very toxic to some plant species.
--------------------------	--

Section 3 - Composition and Information on Ingredients

Chemical Characterization	Solid		
Ingredients	<u>Name</u>	<u>CAS</u>	<u>Proportion</u>
	Ingredients determined to be non-hazardous	-	200g/kg
	Flumetsulam	98967-40-9	800g/kg

Section 4 - First Aid Measures

First-aid Measures	For advice contact the National Poisons Centre 0800 POISON (0800 764 766) or a doctor immediately. Begin artificial respiration if the victim is not breathing. Use mouth-to-nose rather than mouth-to-mouth. Obtain medical attention.
Inhalation	Remove patient to fresh air. Lay down and keep warm and rested. If breathing is shallow or has stopped ensure airway is clear and apply resuscitation. Seek medical assistance immediately.
Ingestion	Never give anything by mouth to an unconscious person. If swallowed do NOT induce vomiting. For advice, contact the National Poisons Centre (0800 764 766). Seek medical assistance immediately.
Skin	Immediately flush body and clothes with large amounts of water. Remove contaminated clothing and footwear. Wash affected areas with soap and water. If a large area is affected seek medical assistance.
Eye	Flush eyes with plenty of water for 15 minutes holding eyelids open if necessary. Remove contact lenses, if present and easy to do. Seek medical assistance even if there are no immediate symptoms.
First-aid Facilities	Facilities storing or utilizing this material should be equipped with an eyewash facility and safety shower.
Advice to Doctor	Treat symptomatically.

Infosafe No™ 3NUGV	Issue Date : May 2022	ISSUED by NUFARMNZ
--------------------	-----------------------	--------------------

Product Name **VALDO® 800 WG**

Section 5 - Firefighting Measures

Suitable Extinguishing Media	Dry Chemical, water spray, carbon dioxide,
Hazards from Combustion Products	On burning may emit oxides of nitrogen, oxides of sulphur and halogen derivatives which are toxic and/or irritating.
Special protective equipment for fire-fighters	Full protective clothing and self-contained breathing apparatus.
Specific Methods	Keep up wind. Do not allow washings to reach sewage or effluent systems. Keep containers cool with water spray.
Hazchem Code	2X
Other Information	Location Certificate: Not applicable Hazardous Atmosphere Zone: Not applicable Number of Fire Extinguishers: Not applicable

Section 6 - Accidental Release Measures

Spills and Disposal	Wear protective clothing. Clear area of unprotected personnel. Sweep up solids without generating dust (use water to dampen). Contain and absorb liquid spills with inert material and place in waste containers. If spill does enter waterways contact the local authority. Collect in an appropriate sealable container for disposal in an approved landfill.
Personal Protection	For appropriate personal protective equipment (PPE), refer Section 8.
Environmental Precautions	Prevent from entering drains, waterways or sewers. This product is a herbicide and spills can damage crops, pastures and desirable vegetation. Prevent contamination of soil and water.

Section 7 - Handling and Storage

Precautions for Safe Handling	Avoid skin and eye contact and inhalation of spray mist. APPROVED HANDLER: This product must be under the control of an approved handler if applied in a wide dispersive manner, or used by a commercial contractor. TRACKING: Is not required RECORD KEEPING: Records of use as described in NZS 8409 Management of Agrichemicals must be kept if 3kg or more is applied within 24 hours. BEWARE: Spray drift hazard. Apply this product carefully. Spray drift may cause serious damage to other desirable plants.
Conditions for safe storage, including any incompatibilities	Keep out of reach of children. Store in original container, tightly closed, in a locked, dry, cool, well ventilated area away from foodstuffs, seeds, feed and fertiliser. Store in accordance with NZS 8409 Management of Agrichemicals. Stores containing 100kg of VALDO 800WG are subject to signage, and more than 100kg require emergency response plans.
Other Information	Always read the label and any attached leaflet before use. Aggregate Storage Volume Thresholds: When stored with substances of the same hazard classification the aggregate quantity must be considered. For full details refer to the current NZS8409 Management of Agrichemicals and the HSNO Regulations.

Section 8 - Exposure Controls and Personal Protection

Occupational Exposure Limits (OEL)	No exposure limits (WES, TEL or EEL's) have been specifically assigned for this product.
Appropriate Engineering Controls	Handle in well ventilated areas, generally natural ventilation is adequate.
Personal Protective Equipment	When opening the container, preparing spray and using the prepared spray wear safety goggles, waterproof gloves, cotton overalls buttoned to the neck

Infosafe No™ 3NUGV	Issue Date : May 2022	ISSUED by NUFARMNZ
--------------------	-----------------------	--------------------

 Product Name **VALDO® 800 WG**

and wrist, and boots.

Hygiene Measures Do not eat, drink or smoke while using.
Remove protective clothing and wash hands and face thoroughly before meals and after work. Wash protective clothing daily after work. Wash splashes of concentrate from skin immediately.

Section 9 - Physical and Chemical Properties

Form Solid

Appearance Beige granule

Odour Non-specific

Melting Point >200°C

pH 5 - 8

Density 775 - 825g/mL

Other Information (WG) Water Dispersible Granule

Section 10 - Stability and Reactivity

Chemical Stability Stable under normal conditions of handling and storage.

Conditions to Avoid Avoid extreme temperatures.

Hazardous Polymerization Hazardous polymerisation will not occur.

Section 11 - Toxicological Information

Toxicology Information No specific toxicological data is available for this product. Data below is for constituents.

Acute Toxicity - Oral LD50 (rat) >5,000 mg/kg for flumetsulam

Acute Toxicity - Inhalation LC50 (rat) (4hr) 1.2 mg/l for flumetsulam

Acute Toxicity - Dermal LD50 (rabbit) >2,000 mg/kg for flumetsulam

Serious Eye Damage/Irritation Slightly irritating to rabbits for flumetsulam.

Mutagenicity Non-mutagenic in the Ames test for flumetsulam.

Skin Sensitisation Non-sensitising to skin (guinea pigs) for flumetsulam.

Subchronic/Chronic Toxicity Non-teratogenic (dietary) in rats for flumetsulam.
NOEL for female rats 500mg/kg body weight.

Other Information The Australian Acceptable Daily Intake (ADI) for flumetsulam for a human is 1 mg/kg/day, set for the public for daily, lifetime exposure. This is based on the NOEL of 100 mg/kg/day, the level determined to show no effects during long term exposure for the most sensitive indicators and the most sensitive species. (Ref: Comm. Dept. of Health and Ageing, Office of Chemical Safety, 'ADI List', June 2011).

Section 12 - Ecological Information

Persistence and Degradability Not bioaccumulative (flumetsulam).

Environmental Fate Soil photolysis DT50 = 3 months for flumetsulam
Aqueous photolysis DT50 = 6-12 months for flumetsulam

Bioaccumulative Potential Not rapidly degradable (flumetsulam).

Basis for Assessment Ecotoxicological data have not been determined specifically for this product. Data below is for the active ingredient unless otherwise stated.

Acute Toxicity - Fish LC50 (96hr) for silverside minnow is >379 mg/l for flumetsulam

Infosafe No™ 3NUGV	Issue Date : May 2022	ISSUED by NUFARMNZ
--------------------	-----------------------	--------------------

 Product Name **VALDO® 800 WG**

Acute Toxicity - Daphnia	Non-toxic.
Acute Toxicity - Algae	EC50 (96h) for Freshwater algae Scenedesmus costatum (5d) 0.0032 mg/l for flumetsulam.
Acute Toxicity - Other Organisms	LD50 for bobwhite quail is >2,250 mg/kg for flumetsulam LC50 (14d) earthworm >950mg/kg soil for flumetsulam

Section 13 - Disposal Considerations

Product Disposal	Dispose of product only by using according to the label, or at an approved landfill.
Container Disposal	Triple rinse empty container and add rinsate to spray tank. Recycle empty container. Otherwise crush and bury in a suitable landfill.

Section 14 - Transport Information

Transport Information	It is good practice not to transport agricultural chemical products with food, food related materials and animal feedstuffs.
UN Number	3077
Proper Shipping Name	ENVIRONMENTALLY HAZARDOUS SUBSTANCE, SOLID, N.O.S. - (flumetsulam, 80%)
Hazard Class	9
Hazchem Code	2X
Packaging Method	-
Packing Group	III
EPG Number	-
IERG Number	47
IMO Marine Pollutant	Yes. Environmentally Hazardous Substance mark required.
IMDG EMS	F-A, S-F
Other Information	Segregation: Check the latest Land Transport Rule Dangerous Goods Rule 45001 for additional information. Sea transport may require additional segregation. Refer NZS5433 sea segregation for details.

Section 15 - Regulatory Information

National and or International Regulatory Information	Registered pursuant to the ACVM Act 1997, No. P8495 See www.foodsafety.govt.nz for registration conditions Approved pursuant to the HSNO Act 1996, Approval Code HSR000458 See www.epa.govt.nz for approval controls.
Packaging and Labelling	ECOTOXIC

Section 16 - Any Other Relevant Information

Contact Person/Point	IN AN EMERGENCY, DIAL 111 - FIRE OR POLICE 24Hr Tollfree Emergency No: 0800 651 911 24Hr Emergency No: National Poisons Centre Phone: 0800 764 766
Revisions Highlighted	5 yearly review carried out.
Other Information	Supersedes SDS issued April 2017 ...End Of MSDS...

© Copyright Chemical Safety International Pty Ltd

Copyright in the source code of the HTML, PDF, XML, XFO and any other electronic files rendered by an Infosafe system for Infosafe MSDS displayed is the intellectual property of Chemical Safety International Pty Ltd.

Copyright in the layout, presentation and appearance of each Infosafe MSDS displayed is the intellectual property of Chemical Safety International Pty Ltd. The compilation of MSDS's displayed is the intellectual property of Chemical Safety International Pty Ltd.

Copying of any MSDS displayed is permitted for personal use only and otherwise is not permitted. In particular the MSDS's displayed cannot be copied for the purpose of sale or licence or for inclusion as part of a collection of MSDS without the express written consent of Chemical Safety International Pty Ltd.