

FOLICUR SC

Version 3 / NZ 10200008958 1/11 Revision Date: 17.07.2024 Print Date: 17.07.2024

SECTION 1: IDENTIFICATION OF THE SUBSTANCE/MIXTURE AND OF THE COMPANY/UNDERTAKING

1.1 Product identifier	
Trade name	FOLICUR SC
Product code (UVP)	04832264
1.2 Relevant identified uses	nameFOLICUR SCt code (UVP)04832264FungicideFungicideHSR000751See product label for restrictions.Bayer New Zealand Limited CropScience Division B:HIVE Building 74 Taharoto Rd Smales Farm Takapuna Auckland, 0622 New Zealandone0800 428 246
Use	Fungicide
EPA-Nr.	HSR000751
Restrictions on use	See product label for restrictions.
1.3 Details of the supplier o Supplier	Bayer New Zealand Limited CropScience Division B:HIVE Building 74 Taharoto Rd Smales Farm Takapuna Auckland, 0622
Telephone	0800 428 246
Telefax	(09) 441 8645
1.4 Emergency telephone n	0.

Emergency Number	0800 734 607 (24hr)
Global Incident Response Hotline (24h)	+1 (760) 476-3964 (Company 3E for Bayer AG, Crop Science Division)

SECTION 2: HAZARDS IDENTIFICATION

2.1 Classification of the substance or mixture

Classified as hazardous according to the criteria in the Hazardous Substances (Minimum Degrees of Hazard) Notice 2020 as amended

Eye Irrit. 2

H320 Causes eye irritation.

Repr. 2

H361 Suspected of damaging fertility or the unborn child if swallowed.

Aquatic Chronic 1



FOLICUR SC

Version 3 / NZ 10200008958 **2/11** Revision Date: 17.07.2024 Print Date: 17.07.2024

H410 Very toxic to aquatic life with long lasting effects.

Hazardous to terrestrial vertebrates H433 Harmful to terrestrial vertebrates.

2.2 Label elements

Labelling in accordance with the Hazardous Substances (Safety Data Sheets) Notice 2020 as amended

Hazard label for supply/use required.



Signal word: Warning

Hazard statements

H320 H361 H410	Causes eye irritation. Suspected of damaging fertility or the unborn child if swallowed. Very toxic to aquatic life with long lasting effects.	
H433	Harmful to terrestrial vertebrates.	
Precautionary statements		

2.3 Other hazards

No additional hazards known beside those mentioned.

SECTION 3: COMPOSITION/INFORMATION ON INGREDIENTS

3.2 Mixtures

Chemical nature

Suspension concentrate (=flowable concentrate)(SC) Tebuconazole 430 g/l

Hazardous components

Chemical name	CAS-No.	Conc. [%]
Tebuconazole	107534-96-3	38.8
Alkylated Naphthalene sulfonate, sodium salt	68425-94-5	> 1 - < 10
1,2-Benzisothiazol-3(2H)-one	2634-33-5	> 0.005 - < 0.05
Glycerine	56-81-5	> 1
Polyethylene-polypropylene copolymer	9003-11-6	<= 5

Further information

1,2-Benzisothiazol-	2634-33-5	M-Factor: 1 (acute)
3(2H)-one		

FOLICUR SC

Version 3 / NZ 10200008958



3/11 Revision Date: 17.07.2024 Print Date: 17.07.2024

SECTION 4: FIRST AID MEASURES

4.1 Description of first aid measures

General adviceRemove contaminated clothing immediately and dispose of saMove out of dangerous area. Place and transport victim in sta	
position (lying sideways).	
Inhalation Move to fresh air. Keep patient warm and at rest. Call a physic poison control center immediately.	ian or
Skin contactWash off thoroughly with plenty of soap and water, if available polyethyleneglycol 400, subsequently rinse with water.	with
Eye contact Rinse immediately with plenty of water, also under the eyelids least 15 minutes. Remove contact lenses, if present, after the minutes, then continue rinsing eye. Get medical attention if irridevelops and persists.	first 5
Ingestion Rinse mouth. Do NOT induce vomiting. Call a physician or policity control center immediately.	son

4.2 Most important symptoms and effects, both acute and delayed

Symptoms No symptoms known or expected.

4.3 Indication of any immediate medical attention and special treatment needed

Treatment	Treat symptomatically. Gastric lavage is not normally required.
	However, if a significant amount (more than a mouthful) has been
	ingested, administer activated charcoal and sodium sulphate.

Contact the National Poisons and Hazardous Chemicals Information center in Dunedin, PO Box 913, Dunedin. Phone 0800 POISON (0800 764 766).

SECTION 5: FIREFIGHTING MEASURES

5.1 Extinguishing media	
Suitable	Water spray, Carbon dioxide (CO2), Foam, Sand
Unsuitable	High volume water jet
5.2 Special hazards arising from the substance or mixture	In the event of fire the following may be released:, Hydrogen cyanide (hydrocyanic acid), Carbon monoxide (CO), Hydrogen chloride (HCI), Nitrogen oxides (NOx)
5.3 Advice for firefighters	
Special protective equipment for firefighters	In the event of fire, wear self-contained breathing apparatus.
Further information	Contain the spread of the fire-fighting media. Do not allow run-off from fire fighting to enter drains or water courses.



FOLICUR SC

Version 3 / NZ 10200008958

SECTION 6: ACCIDENTAL RELEASE MEASURES

6.1 Personal precautions, pro	tective equipment and emergency procedures
Precautions	Avoid contact with spilled product or contaminated surfaces. Use personal protective equipment.
6.2 Environmental precautions	Do not allow to get into surface water, drains and ground water.
6.3 Methods and materials for	containment and cleaning up
Methods for cleaning up	Soak up with inert absorbent material (e.g. sand, silica gel, acid binder, universal binder, sawdust). Collect and transfer the product into a properly labelled and tightly closed container. Clean contaminated floors and objects thoroughly, observing environmental regulations.
6.4 Reference to other sections	Information regarding safe handling, see section 7. Information regarding personal protective equipment, see section 8. Information regarding waste disposal, see section 13.

SECTION 7: HANDLING AND STORAGE

7.1 Precautions for safe handling

Advice on safe handling	Use only in area provided with appropriate exhaust ventilation.		
Hygiene measures	Avoid contact with skin, eyes and clothing. Keep working clothes separately. Wash hands immediately after work, if necessary take a shower. Remove soiled clothing immediately and clean thoroughly before using again. Garments that cannot be cleaned must be destroyed (burnt). Wash hands before breaks and immediately after handling the product.		
7.2 Conditions for safe storage, including any incompatibilities			
Requirements for storage areas and containers	Store in a place accessible by authorized persons only. Keep containers tightly closed in a dry, cool and well-ventilated place.		
Advice on common storage	Keep away from food, drink and animal feedingstuffs.		
Suitable materials	HDPE (high density polyethylene)		
7.3 Specific end use(s)	Refer to the label and/or leaflet.		

SECTION 8: EXPOSURE CONTROLS/PERSONAL PROTECTION

8.1 Control parameters

Components	CAS-No.	Control parameters	Update	Basis
Tebuconazole	107534-96-3	0.2 mg/m3 (SK-ABS)		OES BCS*

FOLICUR SC

Version 3 / NZ 10200008958 5/11 Revision Date: 17.07.2024 Print Date: 17.07.2024

Glycerine	56-81-5	10 mg/m3 (TWA)	06 2016	NZ OEL
(Mist.)				

*OES BCS: Internal Bayer AG, Crop Science Division "Occupational Exposure Standard"

8.2 Exposure controls

Personal protective equipment

In normal use and handling conditions please refer to the label and/or leaflet. In all other cases the following recommendations would apply.

Respiratory protection	Respiratory protection is not required under anticipated circumstances of exposure.	
Hand protection	breakthrough time which and Also take into consideration the product is used, such as contact time. Wash gloves when contami inside, when perforated or w	Nitrile rubber
Eye protection	Wear goggles (conforming to EN166, Field of Use = 5 or equivalent) and faceshield (conforming to EN166, Field of Use = 3 or equivalent).	
Skin and body protection	Wear standard coveralls and Category 3 Type 3 suit. Wear two layers of clothing wherever possible. Polyester/cotton or cotton overalls should be worn under chemical protection suit and should be professionally laundered frequently.	
General protective measures	If product is handled while not enclosed, and if contact may occur: Complete suit protecting against chemicals	

SECTION 9: PHYSICAL AND CHEMICAL PROPERTIES

9.1 Information on basic physical and chemical properties

Form	suspension
Colour	white to light beige
Odour	weak, characteristic
Odour Threshold	No data available
рН	8.0 - 10.0 (100 %) (23 °C)
Melting point/range	No data available
Boiling Point	

FOLICUR SC

Version 3 / NZ 10200008958



6/11 Revision Date: 17.07.2024 Print Date: 17.07.2024

	No data available
Flash point	> 100 °C No flash point - Determination conducted up to the boiling point.
Flammability	No data available
Auto-ignition temperature	405 °C
Thermal decomposition	No data available
Minimum ignition energy	Not applicable
Self-accelarating decomposition temperature (SADT)	No data available
Upper explosion limit	No data available
Lower explosion limit	No data available
Vapour pressure	No data available
Evaporation rate	No data available
Relative vapour density	No data available
Relative density	No data available
Density	ca. 1.12 g/cm ³ (20 °C)
Water solubility	dispersible
Partition coefficient: n- octanol/water	Tebuconazole: log Pow: 3.7
Viscosity, dynamic	ca. 569 mPa.s (20 °C) Velocity gradient 20 /s
Viscosity, kinematic	No data available
Surface tension	36 mN/m (25 °C)
Impact sensitivity	Not impact sensitive.
Oxidizing properties	No oxidizing properties
Explosivity	Not explosive 92/69/EEC, A.14 / OECD 113
9.2 Other information	Further safety related physical-chemical data are not known.

SECTION 10: STABILITY AND REACTIVITY

10.1 Reactivity	Stable under normal conditions.
10.2 Chemical stability	Stable under recommended storage conditions.



FOLICUR SC

Version	3 / NZ	
10200008	3958	

10.3 Possibility of hazardous reactions	No hazardous reactions when stored and handled according to prescribed instructions.
10.4 Conditions to avoid	Extremes of temperature and direct sunlight.
10.5 Incompatible materials	Store only in the original container.
10.6 Hazardous decomposition products	No decomposition products expected under normal conditions of use.

SECTION 11: TOXICOLOGICAL INFORMATION

11.1 Information on toxicological effects

Acute oral toxicity	LD50 (Rat) 3,710 mg/kg
Acute inhalation toxicity	LC50 (Rat) > 2,510 mg/l Exposure time: 4 h Highest attainable concentration.
Acute dermal toxicity	LD50 (Rat) > 2,011 mg/kg
Skin corrosion/irritation	Slight irritant effect - does not require labelling. (Rabbit)
Serious eye damage/eye irritation	Slight irritant effect - does not require labelling. (Rabbit)
Respiratory or skin sensitisation	Non-sensitizing. (Guinea pig) OECD Test Guideline 406, Magnusson & Kligman test Non-sensitizing. (Guinea pig) OECD Test Guideline 406, Buehler test

Assessment STOT Specific target organ toxicity - single exposure

Tebuconazole: Based on available data, the classification criteria are not met.

Assessment STOT Specific target organ toxicity - repeated exposure

Tebuconazole did not cause specific target organ toxicity in experimental animal studies.

Assessment mutagenicity

Tebuconazole was not mutagenic or genotoxic in a battery of in vitro and in vivo tests.

Assessment carcinogenicity

Tebuconazole caused at high dose levels an increased incidence of tumours in mice in the following organ(s): Liver. The mechanism of tumour formation is not considered to be relevant to man.

Assessment toxicity to reproduction

Tebuconazole caused reproduction toxicity in a two-generation study in rats only at dose levels also toxic to the parent animals. The reproduction toxicity seen with Tebuconazole is related to parental toxicity.

Assessment developmental toxicity

Tebuconazole caused developmental toxicity only at dose levels toxic to the dams. Tebuconazole caused an increased incidence of post implantation losses, an increased incidence of non-specific



FOLICUR SC

Version 3 / NZ 10200008958 8/11 Revision Date: 17.07.2024 Print Date: 17.07.2024

malformations.

Aspiration hazard

Based on available data, the classification criteria are not met.

11.2 Information on other hazards

Endocrine disrupting properties

Assessment

The substance/mixture does not contain components considered to have endocrine disrupting properties according to REACH Article 57(f) or Commission Delegated regulation (EU) 2017/2100 or Commission Regulation (EU) 2018/605 at levels of 0.1% or higher.

SECTION 12: ECOLOGICAL INFORMATION

12.1	Toxicity
------	----------

LC50 (Oncorhynchus mykiss (rainbow trout)) 19.9 mg/l Exposure time: 96 h		
EC50 (Daphnia magna (Water flea)) 31.0 mg/l Exposure time: 48 h		
NOEC (Daphnia (water flea)): 0.010 mg/l Exposure time: 21 d The value mentioned relates to the active ingredient tebuconazole.		
EC50 (Raphidocelis subcapitata (freshwater green alga)) 15.2 mg/l Growth rate; Exposure time: 96 h		
EC50 (Desmodesmus subspicatus (green algae)) 3.8 mg/l Growth rate; Exposure time: 72 h The value mentioned relates to the active ingredient tebuconazole.		
(Lemna gibba (gibbous duckweed)) 0.237 mg/l Growth rate; Exposure time: 7 d The value mentioned relates to the active ingredient tebuconazole.		
ability		
Tebuconazole: Not rapidly biodegradable		
Tebuconazole: Koc: 769		
ial		
Tebuconazole: Bioconcentration factor (BCF) 35 - 59 Does not bioaccumulate.		
Tebuconazole: Slightly mobile in soils		
12.5 Results of PBT and vPvB assessment		
Tebuconazole: This substance is not considered to be persistent,		



FOLICUR SC

Version 3 / NZ 10200008958

	bioaccumulative and toxic (PBT). This substance is not considered to be very persistent and very bioaccumulative (vPvB).
12.6 Endocrine disrupting pr	operties
Assessment	The substance/mixture does not contain components considered to have endocrine disrupting properties according to REACH Article 57(f) or Commission Delegated regulation (EU) 2017/2100 or Commission Regulation (EU) 2018/605 at levels of 0.1% or higher.
12.7 Other adverse effects	
Additional ecological information	No other effects to be mentioned.

SECTION 13: DISPOSAL CONSIDERATIONS

13.1 Waste treatment methods

Product	Dispose of this product only by using according to the label, or at an approved landfill or other approved facility.
Contaminated packaging	Triple rinse containers. Recycle if possible. If allowed under local authority, burn if circumstances, especially wind direction permit, otherwise crush and bury in an approved local authority facility. Do not use container for any other purpose.

SECTION 14: TRANSPORT INFORMATION

This transportation information is not intended to convey all specific regulatory information relating to this product. It does not address regulatory variations due to package size or special transportation requirements.

ADR/RID/ADN

14.5 Marine pollutant IATA 14.1 UN number	YES 3082
14.3 Transport hazard class(es) 14.4 Packing group	N.O.S. (TEBUCONAZOLE SOLUTION) 9 III
IMDG 14.1 UN number 14.2 Proper shipping name	3082 ENVIRONMENTALLY HAZARDOUS SUBSTANCE, LIQUID,
14.3 Transport hazard class(es) 14.4 Packing group 14.5 Environm. Hazardous Mark Hazchem Code	(TEBUCONAZOLE SOLUTION) 9 III YES 3Z
14.1 UN number 14.2 Proper shipping name	3082 ENVIRONMENTALLY HAZARDOUS SUBSTANCE, LIQUID, N.O.S.

FOLICUR SC

Version 3 / NZ 10200008958 **10/11** Revision Date: 17.07.2024 Print Date: 17.07.2024

14.2 Proper shipping name	ENVIRONMENTALLY HAZARDOUS SUBSTANCE, LIQUID, N.O.S. (TEBUCONAZOLE SOLUTION)
14.3 Transport hazard class(es)	9
14.4 Packing group	III
14.5 Environm. Hazardous Mark	YES

14.6 Special precautions for user

See sections 6 to 8 of this Safety Data Sheet.

14.7 Transport in bulk according to IMO instruments No transport in bulk according to the IBC Code.

SECTION 15: REGULATORY INFORMATION

15.1 Safety, health and environmental regulations/legislation specific for the substance or mixture

Further information

HSNO approval-Nr.	HSR000751
HSNO Controls	See www.epa.govt.nz
ACVM Reg.	P4921
ACVM Condition	See www.foodsafety.govt.nz

SECTION 16: OTHER INFORMATION

Abbreviations and acronyms

ADN	European Agreement concerning the International Carriage of Dangerous Goods by Inland Waterways
ADR	European Agreement concerning the International Carriage of Dangerous Goods by
ATE	Road
	Acute toxicity estimate
CAS-Nr.	Chemical Abstracts Service number
Conc.	Concentration
ECx	Effective concentration to x %
EINECS	European inventory of existing commercial substances
ELINCS	European list of notified chemical substances
EN	European Standard
EU	European Union
IATA	International Air Transport Association
IBC	International Code for the Construction and Equipment of Ships Carrying Dangerous
	Chemicals in Bulk (IBC Code)
ICx	Inhibition concentration to x %
IMDG	International Maritime Dangerous Goods
LCx	Lethal concentration to x %
LDx	Lethal dose to x %
LOEC/LOEL	Lowest observed effect concentration/level
MARPOL	MARPOL: International Convention for the prevention of marine pollution from ships
N.O.S.	Not otherwise specified
NOEC/NOEL	No observed effect concentration/level
NOLO/NOLL	





FOLICUR SC

Version 3 / NZ 10200008958 **11/11** Revision Date: 17.07.2024 Print Date: 17.07.2024

OECD	Organization for Economic Co-operation and Development
RID	Regulations concerning the International Carriage of Dangerous Goods by Rail
TWA	Time weighted average
UN	United Nations
WHO	World health organisation

The data given here is based on current knowledge and experience. The purpose of this Safety Data Sheet is to describe products in terms of their safety requirements. The above details do not imply any guarantee concerning composition, properties or performance of the product.

Changes since the last version are highlighted in the margin. This version replaces all previous versions.