## **Proline**

Version 4 / NZ 10200008022

1/11 Revision Date: 18.07.2024

Print Date: 18.07.2024

# SECTION 1: IDENTIFICATION OF THE SUBSTANCE/MIXTURE AND OF THE COMPANY/UNDERTAKING

**1.1 Product identifier** 

Trade name	Proline
Product code (UVP)	05863929, 86252961

1.2 Relevant identified uses of the substance or mixture and uses advised against

Use	Fungicide
EPA-Nr.	HSR001661

## 1.3 Details of the supplier of the safety data sheet

Supplier	Bayer New Zealand Limited CropScience Division B:HIVE Building 74 Taharoto Rd Smales Farm Takapuna Auckland, 0622 New Zealand
Telephone	0800 428 246
Telefax	(09) 441 8645

#### 1.4 Emergency telephone no.

Emergency Number	0800 734 607 (24hr)
Global Incident Response Hotline (24h)	+1 (760) 476-3964 (Company 3E for Bayer AG, Crop Science Division)

## **SECTION 2: HAZARDS IDENTIFICATION**

## 2.1 Classification of the substance or mixture

# Classified as hazardous according to the criteria in the Hazardous Substances (Minimum Degrees of Hazard) Notice 2020 as amended

Eye Irrit. 2H320Causes eye irritation.STOT RE 2H373May cause damage to organs through prolonged or repeated exposure.Aquatic Chronic 2H411Toxic to aquatic life with long lasting effects.

## Proline

Version 4 / NZ 10200008022

## 2.2 Label elements

# Labelling in accordance with the Hazardous Substances (Safety Data Sheets) Notice 2020 as amended

Hazard label for supply/use required.



Signal word: Warning

#### **Hazard statements**

H320	Causes eye irritation.
H373	May cause damage to organs through prolonged or repeated exposure.
H411	Toxic to aquatic life with long lasting effects.

## **Precautionary statements**

P260	Do not breathe dust/ fume/ gas/ mist/ vapours/ spray.
P337 + P313	If eye irritation persists: Get medical advice/ attention.
P391	Collect spillage.
P314	Get medical advice/ attention if you feel unwell.
P410	Protect from sunlight.
P501	Dispose of contents/container in accordance with local regulation.

## 2.3 Other hazards

No additional hazards known beside those mentioned.

## SECTION 3: COMPOSITION/INFORMATION ON INGREDIENTS

## 3.2 Mixtures

#### **Chemical nature**

Emulsifiable concentrate (EC) Prothioconazole 250 g/l

### Hazardous components

Chemical name	CAS-No.	Conc. [%]
Prothioconazole	178928-70-6	25.00
N,N-Dimethyl decanamide	14433-76-2	> 20.00

## **SECTION 4: FIRST AID MEASURES**

## 4.1 Description of first aid measures

General advice	Move out of dangerous area. Place and transport victim in stable position (lying sideways). Remove contaminated clothing immediately and dispose of safely.
Inhalation	Move to fresh air. Keep patient warm and at rest. Call a physician or poison control center immediately.



Proline Version 4 / NZ 10200008022	<b>3/11</b> Revision Date: 18.07.2024 Print Date: 18.07.2024
Skin contact	Wash off thoroughly with plenty of soap and water, if available with polyethyleneglycol 400, subsequently rinse with water. Get medical attention if irritation develops and persists.
Eye contact	Rinse immediately with plenty of water, also under the eyelids, for at least 15 minutes. Remove contact lenses, if present, after the first 5

minutes, then continue rinsing eye. Get medical attention if irritation develops and persists.

Ingestion Do NOT induce vomiting. Call a physician or poison control center immediately. Rinse mouth.

4.2 Most important symptoms and effects, both acute and delayed

Symptoms	No symptoms known or expected.
----------	--------------------------------

## 4.3 Indication of any immediate medical attention and special treatment needed

TreatmentTreat symptomatically. In case of ingestion gastric lavage should be<br/>considered in cases of significant ingestions only within the first 2<br/>hours. However, the application of activated charcoal and sodium<br/>sulphate is always advisable. There is no specific antidote.

Contact the National Poisons and Hazardous Chemicals Information center in Dunedin, PO Box 913, Dunedin. Phone 0800 POISON (0800 764 766).

## **SECTION 5: FIREFIGHTING MEASURES**

#### 5.1 Extinguishing media

Suitable	Use water spray, alcohol-resistant foam, dry chemical or carbon dioxide.
Unsuitable	High volume water jet
5.2 Special hazards arising from the substance or mixture	In the event of fire the following may be released:, Hydrogen chloride (HCI), Hydrogen cyanide (hydrocyanic acid), Carbon monoxide (CO), Sulphur oxides, Nitrogen oxides (NOx)
5.3 Advice for firefighters	
Special protective equipment for firefighters	In the event of fire and/or explosion do not breathe fumes. Wear self- contained breathing apparatus and protective suit.
Further information	Contain the spread of the fire-fighting media. Do not allow run-off from fire fighting to enter drains or water courses.

## SECTION 6: ACCIDENTAL RELEASE MEASURES

6.1 Personal precautions, protective equipment and emergency procedures

PrecautionsAvoid contact with spilled product or contaminated surfaces. Use<br/>personal protective equipment.

Version 4 / NZ 10200008022 **4/11** Revision Date: 18.07.2024 Print Date: 18.07.2024

6.2 Environmental precautions	Do not allow to get into surface water, drains and ground water.
6.3 Methods and materials for	r containment and cleaning up
Methods for cleaning up	Soak up with inert absorbent material (e.g. sand, silica gel, acid binder, universal binder, sawdust). Clean contaminated floors and objects thoroughly, observing environmental regulations. Keep in suitable, closed containers for disposal.
6.4 Reference to other sections	Information regarding safe handling, see section 7. Information regarding personal protective equipment, see section 8. Information regarding waste disposal, see section 13.

## SECTION 7: HANDLING AND STORAGE

7.1 Precautions for safe handling		
Advice on safe handling	Use only in area provided with appropriate exhaust ventilation.	
Advice on protection against fire and explosion	No special precautions required.	
Hygiene measures	Avoid contact with skin, eyes and clothing. Keep working clothes separately. Wash hands before breaks and immediately after handling the product. Remove soiled clothing immediately and clean thoroughly before using again. Garments that cannot be cleaned must be destroyed (burnt).	
7.2 Conditions for safe storage, including any incompatibilities		
Requirements for storage areas and containers	Store in original container. Keep containers tightly closed in a dry, cool and well-ventilated place. Store in a place accessible by authorized persons only. Protect from frost. Keep away from direct sunlight.	
Advice on common storage	Keep away from food, drink and animal feedingstuffs.	
Suitable materials	HDPE - steel case HDPE (high density polyethylene) Coex HDPE/EVOH Coex HDPE/PA	
7.3 Specific end use(s)	Refer to the label and/or leaflet.	

## SECTION 8: EXPOSURE CONTROLS/PERSONAL PROTECTION

## 8.1 Control parameters

Components	CAS-No.	Control parameters	Update	Basis
Prothioconazole	178928-70-6	1.4 mg/m3 (SK-ABS)		OES BCS*

\*OES BCS: Internal Bayer AG, Crop Science Division "Occupational Exposure Standard"

## 8.2 Exposure controls

## Personal protective equipment

In normal use and handling conditions please refer to the label and/or leaflet. In all other cases the

**Proline** 

Version 4 / NZ 10200008022



5/11 Revision Date: 18.07.2024 Print Date: 18.07.2024

following recommendations would apply.

Respiratory protection	(protection factor 10) confo Respiratory protection shou short duration activities, wh been taken to reduce expos	anic vapours and gas filter mask rming to EN140 type A or equivalent. Id only be used to control residual risk of the all reasonably practicable steps have sure at source e.g. containment and/or vays follow respirator manufacturer's ing and maintenance.
Hand protection	breakthrough time which an Also take into consideration the product is used, such as contact time. Wash gloves when contami inside, when perforated or w	tions regarding permeability and re provided by the supplier of the gloves. In the specific local conditions under which is the danger of cuts, abrasion, and the inated. Dispose of when contaminated when contamination on the outside cannot requently and always before eating, the toilet. Nitrile rubber > 480 min > 0.4 mm Class 6 Protective gloves complying with EN 374.
Eye protection	Wear goggles (conforming to EN166, Field of Use = 5 or equivalent).	
Skin and body protection	Wear standard coveralls and Category 3 Type 6 suit. If there is a risk of significant exposure, consider a higher protective type suit. Wear two layers of clothing wherever possible. Polyester/cotton or cotton overalls should be worn under chemical protection suit and should be professionally laundered frequently. If chemical protection suit is splashed, sprayed or significantly contaminated, decontaminate as far as possible, then carefully remove and dispose of as advised by manufacturer.	

## **SECTION 9: PHYSICAL AND CHEMICAL PROPERTIES**

## 9.1 Information on basic physical and chemical properties

Form	Liquid, clear to slightly turbid
Colour	tan
Odour	aromatic
Odour Threshold	No data available
рН	5.0 - 6.0 (1 %) (23 °C) (deionized water)
Melting point/range	No data available
Boiling Point	No data available
Flash point	152 °C
Flammability	No data available

**Proline** 

Version 4 / NZ 10200008022



6/11 Revision Date: 18.07.2024 Print Date: 18.07.2024

Auto-ignition temperature	340 °C
Thermal decomposition	No data available
Minimum ignition energy	No data available
Self-accelarating decomposition temperature (SADT)	No data available
Upper explosion limit	No data available
Lower explosion limit	No data available
Vapour pressure	No data available
Evaporation rate	No data available
Relative vapour density	No data available
Relative density	No data available
Density	ca. 1.00 g/cm³ (20 °C)
Water solubility	No data available
Partition coefficient: n- octanol/water	Prothioconazole: log Pow: 3.82 (20 °C) (pH 7)
octanol/water	N,N-Dimethyldecanamide: log Pow: 2.46
Viscosity, dynamic	No data available
Viscosity, kinematic	35.1 mm²/s (40 °C)
Surface tension	29.9 mN/m (20 °C)
Oxidizing properties	No data available
Explosivity	Not explosive 92/69/EEC, A.14 / OECD 113
9.2 Other information	Further safety related physical-chemical data are not known.

## SECTION 10: STABILITY AND REACTIVITY

10.1 Reactivity	Stable under normal conditions.
10.2 Chemical stability	Stable under recommended storage conditions.
10.3 Possibility of hazardous reactions	No hazardous reactions when stored and handled according to prescribed instructions.

## **Proline**

Version 4 / NZ 10200008022



7/11 Revision Date: 18.07.2024 Print Date: 18.07.2024

10.4 Conditions to avoid	Extremes of temperature and direct sunlight.
10.5 Incompatible materials	Store only in the original container.
10.6 Hazardous decomposition products	No decomposition products expected under normal conditions of use.

## SECTION 11: TOXICOLOGICAL INFORMATION

## 11.1 Information on toxicological effects

	-
Acute oral toxicity	LD50 (Rat) > 2,500 mg/kg
Acute inhalation toxicity	LC50 (Rat) > 5 mg/l Exposure time: 4 h Highest attainable concentration. Determined in the form of a respirable aerosol.
	Irritating to respiratory system. The value mentioned relates to N,N-dimethylacetamide.
Acute dermal toxicity	LD50 (Rat) > 4,000 mg/kg
Skin corrosion/irritation	No skin irritation (Rabbit) Test conducted with a similar formulation.
Serious eye damage/eye irritation	Irritating to eyes. (Rabbit) Test conducted with a similar formulation.
Respiratory or skin sensitisation	Skin: Non-sensitizing. (Guinea pig) OECD Test Guideline 406, Buehler test Test conducted with a similar formulation.

#### Assessment STOT Specific target organ toxicity – single exposure

Prothioconazole: Based on available data, the classification criteria are not met. N,N-Dimethyldecan-1-amide: May cause respiratory irritation.

#### Assessment STOT Specific target organ toxicity - repeated exposure

Prothioconazole did not cause specific target organ toxicity in experimental animal studies. N,N-Dimethyldecanamide did not cause specific target organ toxicity in experimental animal studies.

#### Assessment mutagenicity

Prothioconazole was not mutagenic or genotoxic based on the overall weight of evidence in a battery of in vitro and in vivo tests.

N,N-Dimethyldecanamide was not genotoxic in a battery of in vitro tests.

### Assessment carcinogenicity

Prothioconazole was not carcinogenic in lifetime feeding studies in rats and mice. N,N-Dimethyldecanamide is not considered carcinogenic.

#### Assessment toxicity to reproduction

Prothioconazole caused reproduction toxicity in a two-generation study in rats only at dose levels also toxic to the parent animals. The reproduction toxicity seen with Prothioconazole is related to parental

## **Proline**

Version 4 / NZ 10200008022

BAYER

**8/11** Revision Date: 18.07.2024 Print Date: 18.07.2024

toxicity.

N,N-Dimethyldecanamide is not considered a reproductive toxicant at non-maternally toxic dose levels.

## Assessment developmental toxicity

Prothioconazole caused developmental toxicity only at dose levels toxic to the dams. The developmental effects seen with Prothioconazole are related to maternal toxicity. N,N-Dimethyldecanamide did not cause developmental toxicity in rats and rabbits.

## Aspiration hazard

Based on available data, the classification criteria are not met.

## 11.2 Information on other hazards

## Endocrine disrupting properties

Assessment

The substance/mixture does not contain components considered to have endocrine disrupting properties according to REACH Article 57(f) or Commission Delegated regulation (EU) 2017/2100 or Commission Regulation (EU) 2018/605 at levels of 0.1% or higher.

## SECTION 12: ECOLOGICAL INFORMATION

12.1 Toxicity		
Toxicity to fish	LC50 (Oncorhynchus mykiss (rainbow trout)) 4.02 mg/l Exposure time: 96 h	
Toxicity to aquatic invertebrates	EC50 (Daphnia magna (Water flea)) 2.9 mg/l Exposure time: 48 h	
Toxicity to aquatic plants	EC50 (Raphidocelis subcapitata (freshwater green alga)) 12.7 mg/l Growth rate; Exposure time: 72 h	
	ErC50 (Skeletonema costatum) 0.03278 mg/l Exposure time: 72 h The value mentioned relates to the active ingredient prothioconazole.	
	EC10 (Skeletonema costatum) 0.01427 mg/l Growth rate; Exposure time: 72 h The value mentioned relates to the active ingredient prothioconazole.	
12.2 Persistence and degradability		
Biodegradability	Prothioconazole: Not rapidly biodegradable N,N-Dimethyldecanamide: rapidly biodegradable	
Кос	Prothioconazole: Koc: 1765	
12.3 Bioaccumulative potential		
Bioaccumulation	Prothioconazole: Bioconcentration factor (BCF) 19 Does not bioaccumulate. N,N-Dimethyldecanamide: Does not bioaccumulate.	

Proline

Version 4 / NZ 10200008022

**9/11** Revision Date: 18.07.2024 Print Date: 18.07.2024

Mobility in soilProthioconazole: Slightly mobile in soils N,N-Dimethyldecanamide: Slightly mobile in soils12.5 Results of PBT and vPvB assessmentProthioconazole: This substance is not considered to be persistent, bioaccumulative and toxic (PBT). This substance is not considered to be very persistent and very bioaccumulative (vPvB). N,N-Dimethyldecanamide: This substance is not considered to be persistent, bioaccumulative and toxic (PBT). This substance is not considered to be persistent and very pioaccumulative (vPvB). N,N-Dimethyldecanamide: This substance is not considered to be persistent, bioaccumulative and toxic (PBT). This substance is not considered to be very persistent and very bioaccumulative (vPvB).12.6 Endocrine disrupting propertiesThe substance/mixture does not contain components considered to have endocrine disrupting properties according to REACH Article 57(f) or Commission Delegated regulation (EU) 2017/2100 or Commission Regulation (EU) 2018/605 at levels of 0.1% or higher.12.7 Other adverse effectsNo other effects to be mentioned.	12.4 Mobility in soil		
PBT and vPvB assessmentProthioconazole: This substance is not considered to be persistent, bioaccumulative and toxic (PBT). This substance is not considered to be very persistent and very bioaccumulative (vPvB). N,N-Dimethyldecanamide: This substance is not considered to be persistent, bioaccumulative and toxic (PBT). This substance is not considered to be very persistent and very bioaccumulative (vPvB).12.6 Endocrine disrupting propertiesAssessmentThe substance/mixture does not contain components considered to have endocrine disrupting properties according to REACH Article 57(f) or Commission Delegated regulation (EU) 2017/2100 or Commission Regulation (EU) 2018/605 at levels of 0.1% or higher.12.7 Other adverse effectsNo other effects to be mentioned.	Mobility in soil		
<ul> <li>bioaccumulative and toxic (PBT). This substance is not considered to be very persistent and very bioaccumulative (vPvB). N,N-Dimethyldecanamide: This substance is not considered to be persistent, bioaccumulative and toxic (PBT). This substance is not considered to be very persistent and very bioaccumulative (vPvB).</li> <li><b>12.6 Endocrine disrupting properties</b></li> <li><b>Assessment</b> <ul> <li>The substance/mixture does not contain components considered to have endocrine disrupting properties according to REACH Article 57(f) or Commission Delegated regulation (EU) 2017/2100 or Commission Regulation (EU) 2018/605 at levels of 0.1% or higher.</li> </ul> </li> <li><b>12.7 Other adverse effects</b> <ul> <li>Additional ecological</li> <li>No other effects to be mentioned.</li> </ul> </li> </ul>	12.5 Results of PBT and vPvB	3 assessment	
AssessmentThe substance/mixture does not contain components considered to have endocrine disrupting properties according to REACH Article 57(f) or Commission Delegated regulation (EU) 2017/2100 or Commission Regulation (EU) 2018/605 at levels of 0.1% or higher.12.7 Other adverse effectsNo other effects to be mentioned.	PBT and vPvB assessment	bioaccumulative and toxic (PBT). This substance is not considered to be very persistent and very bioaccumulative (vPvB). N,N-Dimethyldecanamide: This substance is not considered to be persistent, bioaccumulative and toxic (PBT). This substance is not	
<ul> <li>endocrine disrupting properties according to REACH Article 57(f) or Commission Delegated regulation (EU) 2017/2100 or Commission Regulation (EU) 2018/605 at levels of 0.1% or higher.</li> <li><b>12.7 Other adverse effects</b></li> <li>Additional ecological No other effects to be mentioned.</li> </ul>	12.6 Endocrine disrupting properties		
Additional ecological No other effects to be mentioned.	Assessment	endocrine disrupting properties according to REACH Article 57(f) or Commission Delegated regulation (EU) 2017/2100 or Commission	
-	12.7 Other adverse effects		
	-	No other effects to be mentioned.	

## **SECTION 13: DISPOSAL CONSIDERATIONS**

## 13.1 Waste treatment methods

Product	Dispose of this product only by using according to the label, or at an approved landfill or other approved facility.
Contaminated packaging	Triple rinse containers. Recycle if possible. If allowed under local authority, burn if circumstances, especially wind direction permit, otherwise crush and bury in an approved local authority facility. Do not use container for any other purpose.

## **SECTION 14: TRANSPORT INFORMATION**

This transportation information is not intended to convey all specific regulatory information relating to this product. It does not address regulatory variations due to package size or special transportation requirements.

## ADR/RID/ADN

14.1 UN number	3082
14.2 Proper shipping name	ENVIRONMENTALLY HAZARDOUS SUBSTANCE, LIQUID, N.O.S. (PROTHIOCONAZOLE SOLUTION)
14.3 Transport hazard class(es)	9
14.4 Packing group	
14.5 Environm. Hazardous Mark	YES
Hazchem Code	3Z
IMDG	
14.1 UN number	3082

## Proline

Version 4 / NZ 10200008022



**10/11** Revision Date: 18.07.2024 Print Date: 18.07.2024

<ul><li>14.2 Proper shipping name</li><li>14.3 Transport hazard class(es)</li><li>14.4 Packing group</li><li>14.5 Marine pollutant</li></ul>	ENVIRONMENTALLY HAZARDOUS SUBSTANCE, LIQUID, N.O.S. (PROTHIOCONAZOLE SOLUTION) 9 III YES
ΙΑΤΑ	
14.1 UN number	3082
14.2 Proper shipping name	ENVIRONMENTALLY HAZARDOUS SUBSTANCE, LIQUID, N.O.S.
	(PROTHIOCONAZOLE SOLUTION )
14.3 Transport hazard class(es)	9
14.4 Packing group	
14.5 Environm. Hazardous Mark	YES

## 14.6 Special precautions for user

See sections 6 to 8 of this Safety Data Sheet.

## 14.7 Transport in bulk according to IMO instruments

No transport in bulk according to the IBC Code.

## **SECTION 15: REGULATORY INFORMATION**

15.1 Safety, health and environmental regulations/legislation specific for the substance or mixture

## **Further information**

HSNO approval-Nr.	HSR001661
HSNO Controls	See www.epa.govt.nz
ACVM Reg.	P7250
ACVM Condition	See www.foodsafety.govt.nz

## **SECTION 16: OTHER INFORMATION**

## Abbreviations and acronyms

ADN	European Agreement concerning the International Carriage of Dangerous Goods by Inland Waterways
ADR	European Agreement concerning the International Carriage of Dangerous Goods by Road
ATE	Acute toxicity estimate
CAS-Nr.	Chemical Abstracts Service number
Conc.	Concentration
ECx	Effective concentration to x %
EINECS	European inventory of existing commercial substances
ELINCS	European list of notified chemical substances
EN	European Standard
EU	European Union
IATA	International Air Transport Association
IBC	International Code for the Construction and Equipment of Ships Carrying Dangerous

**Proline** 

Version 4 / NZ 10200008022



**11/11** Revision Date: 18.07.2024 Print Date: 18.07.2024

	Chemicals in Bulk (IBC Code)
ICx	Inhibition concentration to x %
IMDG	International Maritime Dangerous Goods
LCx	Lethal concentration to x %
LDx	Lethal dose to x %
LOEC/LOEL	Lowest observed effect concentration/level
MARPOL	MARPOL: International Convention for the prevention of marine pollution from ships
N.O.S.	Not otherwise specified
NOEC/NOEL	No observed effect concentration/level
OECD	Organization for Economic Co-operation and Development
RID	Regulations concerning the International Carriage of Dangerous Goods by Rail
TWA	Time weighted average
UN	United Nations
WHO	World health organisation

The data given here is based on current knowledge and experience. The purpose of this Safety Data Sheet is to describe products in terms of their safety requirements. The above details do not imply any guarantee concerning composition, properties or performance of the product.

 Reason for Revision:
 The following sections have been revised: Section 13. Disposal considerations.

 Changes since the last version are highlighted in the margin. This version replaces all previous versions.