

SAFETY DATA SHEET



HUSSAR

Version 2 / NZ
102000011353

1/12

Revision Date: 18.07.2024
Print Date: 18.07.2024

SECTION 1: IDENTIFICATION OF THE SUBSTANCE/MIXTURE AND OF THE COMPANY/UNDERTAKING

1.1 Product identifier

Trade name HUSSAR
Product code (UVP) 06452507

1.2 Relevant identified uses of the substance or mixture and uses advised against

Use Herbicide
EPA-Nr. HSR000065

1.3 Details of the supplier of the safety data sheet

Supplier Bayer New Zealand Limited
CropScience Division
B:HIVE Building
74 Taharoto Rd
Smales Farm
Takapuna
Auckland, 0622
New Zealand
Telephone 0800 428 246
Telefax (09) 441 8645

1.4 Emergency telephone no.

Emergency Number 0800 734 607 (24hr)
Global Incident Response Hotline (24h) +1 (760) 476-3964 (Company 3E for Bayer AG, Crop Science Division)

SECTION 2: HAZARDS IDENTIFICATION

2.1 Classification of the substance or mixture

Classified as hazardous according to the criteria in the Hazardous Substances (Minimum Degrees of Hazard) Notice 2020 as amended

Eye Dam. 1
H318 Causes serious eye damage.
Aquatic Chronic 1
H410 Very toxic to aquatic life with long lasting effects.
Hazardous to soil organisms
H421 Very toxic to the soil environment.

SAFETY DATA SHEET



HUSSAR

Version 2 / NZ
102000011353

2/12

Revision Date: 18.07.2024
Print Date: 18.07.2024

2.2 Label elements

Labelling in accordance with the Hazardous Substances (Safety Data Sheets) Notice 2020 as amended

Hazard label for supply/use required.



Signal word: Danger

Hazard statements

H318 Causes serious eye damage.
H410 Very toxic to aquatic life with long lasting effects.
H421 Very toxic to the soil environment.

Precautionary statements

P280 Wear protective gloves/ protective clothing/ eye protection/ face protection.
P332 + P313 If skin irritation occurs: Get medical advice/ attention.
P305 + P351 + P338 IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing.
P391 Collect spillage.
P501 Dispose of contents/container in accordance with local regulation.

2.3 Other hazards

No additional hazards known beside those mentioned.

SECTION 3: COMPOSITION/INFORMATION ON INGREDIENTS

3.2 Mixtures

Chemical nature

Water dispersible granules (WG)
Iodosulfuron-methyl-sodium/mefenpyr-diethyl 5.0:15.0 % w/w

Hazardous components

Chemical name	CAS-No.	Conc. [%]
Iodosulfuron-methyl-sodium	144550-36-7	5.00
Mefenpyr-diethyl	135590-91-9	15.30
Solvent Naphtha (petroleum), heavy aromatic, <1% naphthalene	64742-94-5	> 1.00 – < 20.00
Alkyl naphthalenesulfonic acid, polymer with formaldehyde, sodium salt	68425-94-5	> 1.00 – < 15.00
Olefin sulphonate, sodium salt	68439-57-6	> 1.00 – < 5.00
Tetrapropylene benzene sulfonate, calcium salt	11117-11-6	> 1.00 – < 5.00
Synthetic amorphous silica	112926-00-8	> 1.00 – < 15.00
Kaolin	1332-58-7	> 1.00 – < 30.00
Perlite	93763-70-3	> 1.00 – < 5.00

SAFETY DATA SHEET



HUSSAR

Version 2 / NZ
102000011353

3/12

Revision Date: 18.07.2024
Print Date: 18.07.2024

Further information

Iodosulfuron-methyl-sodium	144550-36-7	M-Factor: 1,000 (acute)
----------------------------	-------------	-------------------------

SECTION 4: FIRST AID MEASURES

4.1 Description of first aid measures

General advice	Move out of dangerous area. Place and transport victim in stable position (lying sideways). Remove contaminated clothing immediately and dispose of safely.
Inhalation	Move to fresh air. Keep patient warm and at rest. Call a physician or poison control center immediately.
Skin contact	Wash off thoroughly with plenty of soap and water, if available with polyethyleneglycol 400, subsequently rinse with water. If symptoms persist, call a physician.
Eye contact	Rinse immediately with plenty of water, also under the eyelids, for at least 15 minutes. Remove contact lenses, if present, after the first 5 minutes, then continue rinsing eye. Call a physician or poison control center immediately.

4.2 Most important symptoms and effects, both acute and delayed

Symptoms	Local:, Irritation Systemic:, To date no symptoms are known.
-----------------	---

4.3 Indication of any immediate medical attention and special treatment needed

Treatment	Initial treatment: symptomatic. In the event of a mouthful or more being ingested, the following measures should be considered: In case of ingestion gastric lavage should be considered in cases of significant ingestions only within the first 2 hours. However, the application of activated charcoal and sodium sulphate is always advisable. Forced alkaline diuresis and hemodialysis may be considered. Monitor: kidney, liver and red blood cell count.
------------------	--

Contact the National Poisons and Hazardous Chemicals Information center in Dunedin, PO Box 913, Dunedin. Phone 0800 POISON (0800 764 766).

SECTION 5: FIREFIGHTING MEASURES

5.1 Extinguishing media

Suitable	Use water spray, alcohol-resistant foam, dry chemical or carbon dioxide.
Unsuitable	High volume water jet

SAFETY DATA SHEET



HUSSAR

Version 2 / NZ
102000011353

4/12

Revision Date: 18.07.2024
Print Date: 18.07.2024

5.2 Special hazards arising from the substance or mixture	In the event of fire the following may be released:., Hydrogen chloride (HCl), Hydrogen cyanide (hydrocyanic acid), Hydrogen iodide (HI), Carbon monoxide (CO), Carbon dioxide (CO ₂), Sulphur oxides, Nitrogen oxides (NO _x)
5.3 Advice for firefighters	
Special protective equipment for firefighters	In the event of fire and/or explosion do not breathe fumes. In the event of fire, wear self-contained breathing apparatus.
Further information	Contain the spread of the fire-fighting media. Do not allow run-off from fire fighting to enter drains or water courses.

SECTION 6: ACCIDENTAL RELEASE MEASURES

6.1 Personal precautions, protective equipment and emergency procedures

Precautions Avoid contact with spilled product or contaminated surfaces. Use personal protective equipment.

6.2 Environmental precautions Do not allow to get into surface water, drains and ground water.

6.3 Methods and materials for containment and cleaning up

Methods for cleaning up Use mechanical handling equipment. Clean contaminated floors and objects thoroughly, observing environmental regulations. Keep in suitable, closed containers for disposal.

6.4 Reference to other sections Information regarding safe handling, see section 7.
Information regarding personal protective equipment, see section 8.
Information regarding waste disposal, see section 13.

SECTION 7: HANDLING AND STORAGE

7.1 Precautions for safe handling

Advice on safe handling Use only in area provided with appropriate exhaust ventilation.

Advice on protection against fire and explosion No special precautions required.

Hygiene measures Avoid contact with skin, eyes and clothing. Keep working clothes separately. Wash hands before breaks and immediately after handling the product. Remove soiled clothing immediately and clean thoroughly before using again. Garments that cannot be cleaned must be destroyed (burnt).

7.2 Conditions for safe storage, including any incompatibilities

Requirements for storage areas and containers Keep containers tightly closed in a dry, cool and well-ventilated place. Store in original container. Store in a place accessible by authorized persons only. Keep away from direct sunlight. Protect from frost.

Advice on common storage Keep away from food, drink and animal feedingstuffs.

Suitable materials FIBC-PP (Polypropylen; approx.1000 l)

SAFETY DATA SHEET



HUSSAR

Version 2 / NZ
102000011353

5/12

Revision Date: 18.07.2024
Print Date: 18.07.2024

7.3 Specific end use(s) Refer to the label and/or leaflet.

SECTION 8: EXPOSURE CONTROLS/PERSONAL PROTECTION

8.1 Control parameters

Components	CAS-No.	Control parameters	Update	Basis
Iodosulfuron-methyl-sodium	144550-36-7	1 mg/m ³ (TWA)		OES BCS*
Mefenpyr-diethyl	135590-91-9	10 mg/m ³ (TWA)		OES BCS*
Solvent Naphtha (petroleum), heavy aromatic, <1% naphthalene	64742-94-5	1,600 mg/m ³ /400 ppm (TWA)	02 2013	NZ OEL
Synthetic amorphous silica	112926-00-8	10 mg/m ³ (TWA)	06 2016	NZ OEL
Kaolin (Respirable dust.)	1332-58-7	2 mg/m ³ (TWA)	07 2011	NZ OEL
Kaolin (Inhalable dust.)	1332-58-7	10 mg/m ³ (TWA)	07 2011	NZ OEL
Perlite	93763-70-3	10 mg/m ³ (TWA)	06 2016	NZ OEL

*OES BCS: Internal Bayer AG, Crop Science Division "Occupational Exposure Standard"

8.2 Exposure controls

Personal protective equipment

In normal use and handling conditions please refer to the label and/or leaflet. In all other cases the following recommendations would apply.

Respiratory protection

Respiratory protection is not required under anticipated circumstances of exposure.

Respiratory protection should only be used to control residual risk of short duration activities, when all reasonably practicable steps have been taken to reduce exposure at source e.g. containment and/or local extract ventilation. Always follow respirator manufacturer's instructions regarding wearing and maintenance.

Hand protection

Please observe the instructions regarding permeability and breakthrough time which are provided by the supplier of the gloves. Also take into consideration the specific local conditions under which the product is used, such as the danger of cuts, abrasion, and the contact time.

Wash gloves when contaminated. Dispose of when contaminated inside, when perforated or when contamination on the outside cannot be removed. Wash hands frequently and always before eating, drinking, smoking or using the toilet.

Material	Nitrile rubber
Rate of permeability	> 480 min
Glove thickness	> 0.4 mm
Protective index	Class 6

SAFETY DATA SHEET



HUSSAR

Version 2 / NZ
102000011353

6/12

Revision Date: 18.07.2024
Print Date: 18.07.2024

	Directive	Protective gloves complying with EN 374.
Eye protection	Wear goggles (conforming to EN166, Field of Use = 5 or equivalent) and faceshield (conforming to EN166, Field of Use = 3 or equivalent).	
Skin and body protection	Wear standard coveralls and Category 3 Type 5 suit. If there is a risk of significant exposure, consider a higher protective type suit. Wear two layers of clothing wherever possible. Polyester/cotton or cotton overalls should be worn under chemical protection suit and should be professionally laundered frequently. If chemical protection suit is splashed, sprayed or significantly contaminated, decontaminate as far as possible, then carefully remove and dispose of as advised by manufacturer.	

SECTION 9: PHYSICAL AND CHEMICAL PROPERTIES

9.1 Information on basic physical and chemical properties

Form	water-dispersible granules
Colour	light beige to brown
Odour	aromatic
Odour Threshold	No data available
pH	7.5 - 9.0 (10 %) (23 °C) (deionized water)
Melting point/range	No data available
Boiling Point	No data available
Flash point	Not applicable
Flammability	The product is not highly flammable.
Auto-ignition temperature	No data available
Thermal decomposition	No data available
Ignition temperature	378 °C
Minimum ignition energy	No data available
Self-accelerating decomposition temperature (SADT)	No data available
Upper explosion limit	No data available
Lower explosion limit	No data available
Vapour pressure	No data available
Evaporation rate	No data available
Relative vapour density	No data available
Relative density	No data available
Density	No data available

SAFETY DATA SHEET



HUSSAR

Version 2 / NZ
102000011353

7/12

Revision Date: 18.07.2024
Print Date: 18.07.2024

Bulk density	0.673 - 0.790 g/ml (loose)
Water solubility	dispersible
Partition coefficient: n-octanol/water	Iodosulfuron-methyl: log Pow: 2.57 Mefenpyr-diethyl: log Pow: 3.83 (21 °C)
Viscosity, dynamic	No data available
Viscosity, kinematic	No data available
Surface tension	33 mN/m (20 °C)
Impact sensitivity	Not impact sensitive.
Burning number	CN3 Local combustion without spreading
Oxidizing properties	No oxidizing properties
Explosivity	Not explosive 92/69/EEC, A.14 / OECD 113
Dust content	nearly dust-free
9.2 Other information	Further safety related physical-chemical data are not known.

SECTION 10: STABILITY AND REACTIVITY

10.1 Reactivity	Stable under normal conditions.
10.2 Chemical stability	Stable under recommended storage conditions.
10.3 Possibility of hazardous reactions	No hazardous reactions when stored and handled according to prescribed instructions.
10.4 Conditions to avoid	Extremes of temperature and direct sunlight.
10.5 Incompatible materials	Store only in the original container.
10.6 Hazardous decomposition products	No decomposition products expected under normal conditions of use.

SECTION 11: TOXICOLOGICAL INFORMATION

11.1 Information on toxicological effects

Acute oral toxicity LD50 (Rat) > 5,000 mg/kg
Test conducted with a similar formulation.

Acute inhalation toxicity

SAFETY DATA SHEET



HUSSAR

Version 2 / NZ
102000011353

8/12

Revision Date: 18.07.2024
Print Date: 18.07.2024

	Not relevant because of low dust formation.
Acute dermal toxicity	LD50 (Rat) > 5,000 mg/kg Test conducted with a similar formulation.
Skin corrosion/irritation	No skin irritation (Rabbit) Test conducted with a similar formulation.
Serious eye damage/eye irritation	Risk of serious damage to eyes. (Rabbit) Test conducted with a similar formulation.
Respiratory or skin sensitisation	Non-sensitizing. (Guinea pig) OECD Test Guideline 406, Buehler test Test conducted with a similar formulation.

Assessment STOT Specific target organ toxicity – single exposure

Iodosulfuron-methyl: Based on available data, the classification criteria are not met.
Mefenpyr-diethyl: Based on available data, the classification criteria are not met.

Assessment STOT Specific target organ toxicity – repeated exposure

Iodosulfuron-methyl did not cause specific target organ toxicity in experimental animal studies.
Mefenpyr-diethyl did not cause specific target organ toxicity in experimental animal studies.

Assessment mutagenicity

Iodosulfuron-methyl was not mutagenic or genotoxic in a battery of in vitro and in vivo tests.
Mefenpyr-diethyl was not mutagenic or genotoxic in a battery of in vitro and in vivo tests.

Assessment carcinogenicity

Iodosulfuron-methyl was not carcinogenic in lifetime feeding studies in rats and mice.
Mefenpyr-diethyl was not carcinogenic in lifetime feeding studies in rats and mice.

Assessment toxicity to reproduction

Iodosulfuron-methyl did not cause reproductive toxicity in a two-generation study in rats.
Mefenpyr-diethyl did not cause reproductive toxicity in a two-generation study in rats.

Assessment developmental toxicity

Iodosulfuron-methyl did not cause developmental toxicity in rats and rabbits.
Mefenpyr-diethyl caused developmental toxicity only at dose levels toxic to the dams. The developmental effects seen with Mefenpyr-diethyl are related to maternal toxicity.

Aspiration hazard

Based on available data, the classification criteria are not met.

11.2 Information on other hazards

Endocrine disrupting properties

Assessment The substance/mixture does not contain components considered to have endocrine disrupting properties according to REACH Article 57(f) or Commission Delegated regulation (EU) 2017/2100 or Commission Regulation (EU) 2018/605 at levels of 0.1% or higher.

**HUSSAR**Version 2 / NZ
102000011353

9/12

Revision Date: 18.07.2024
Print Date: 18.07.2024**SECTION 12: ECOLOGICAL INFORMATION****12.1 Toxicity**

Toxicity to fish	LC50 (Oncorhynchus mykiss (rainbow trout)) 11.1 mg/l Exposure time: 96 h Test conducted with a similar formulation.
Toxicity to aquatic invertebrates	EC50 (Daphnia magna (Water flea)) 10.85 mg/l Exposure time: 48 h Test conducted with a similar formulation.
Toxicity to aquatic plants	EC50 (Raphidocelis subcapitata (freshwater green alga)) 0.87 mg/l Exposure time: 72 h Test conducted with a similar formulation. EC50 (Lemna gibba (gibbous duckweed)) 0.81 µg/l Exposure time: 14 d The value mentioned relates to the active ingredient iodosulfuron-methyl-sodium.

12.2 Persistence and degradability

Biodegradability	Iodosulfuron-methyl: Not rapidly biodegradable Mefenpyr-diethyl: Not rapidly biodegradable
Koc	Iodosulfuron-methyl: Koc: 0.8 - 152 Mefenpyr-diethyl: Koc: 625

12.3 Bioaccumulative potential

Bioaccumulation	Iodosulfuron-methyl: Does not bioaccumulate. Mefenpyr-diethyl: Bioconcentration factor (BCF) 232 Does not bioaccumulate.
------------------------	---

12.4 Mobility in soil

Mobility in soil	Iodosulfuron-methyl: Mobile in soils Mefenpyr-diethyl: Slightly mobile in soils
-------------------------	--

12.5 Results of PBT and vPvB assessment

PBT and vPvB assessment	Iodosulfuron-methyl: This substance is not considered to be persistent, bioaccumulative and toxic (PBT). This substance is not considered to be very persistent and very bioaccumulative (vPvB). Mefenpyr-diethyl: This substance is not considered to be persistent, bioaccumulative and toxic (PBT). This substance is not considered to be very persistent and very bioaccumulative (vPvB).
--------------------------------	---

12.6 Endocrine disrupting properties

Assessment	The substance/mixture does not contain components considered to have endocrine disrupting properties according to REACH Article 57(f) or Commission Delegated regulation (EU) 2017/2100 or Commission Regulation (EU) 2018/605 at levels of 0.1% or higher.
-------------------	---

12.7 Other adverse effects

Additional ecological	No other effects to be mentioned.
------------------------------	-----------------------------------

SAFETY DATA SHEET



HUSSAR

Version 2 / NZ
102000011353

10/12

Revision Date: 18.07.2024
Print Date: 18.07.2024

information

SECTION 13: DISPOSAL CONSIDERATIONS

13.1 Waste treatment methods

Product	Dispose of this product only by using according to the label, or at an approved landfill or other approved facility.
Contaminated packaging	Triple rinse containers. Recycle if possible. If allowed under local authority, burn if circumstances, especially wind direction permit, otherwise crush and bury in an approved local authority facility. Do not use container for any other purpose.

SECTION 14: TRANSPORT INFORMATION

This transportation information is not intended to convey all specific regulatory information relating to this product. It does not address regulatory variations due to package size or special transportation requirements.

ADR/RID/ADN

14.1 UN number	3077
14.2 Proper shipping name	ENVIRONMENTALLY HAZARDOUS SUBSTANCE, SOLID, N.O.S. (IODOSULFURON-METHYL SODIUM/SOLVENT NAPHTHA (PETROLEUM) HEAVY AROMATIC MIXTURE)
14.3 Transport hazard class(es)	9
14.4 Packing group	III
14.5 Environm. Hazardous Mark	YES
Hazchem Code	2Z

IMDG

14.1 UN number	3077
14.2 Proper shipping name	ENVIRONMENTALLY HAZARDOUS SUBSTANCE, SOLID, N.O.S. (IODOSULFURON-METHYL SODIUM/SOLVENT NAPHTHA (PETROLEUM) HEAVY AROMATIC MIXTURE)
14.3 Transport hazard class(es)	9
14.4 Packing group	III
14.5 Marine pollutant	YES

IATA

14.1 UN number	3077
14.2 Proper shipping name	ENVIRONMENTALLY HAZARDOUS SUBSTANCE, SOLID, N.O.S. (IODOSULFURON-METHYL SODIUM/SOLVENT NAPHTHA (PETROLEUM) HEAVY AROMATIC MIXTURE)
14.3 Transport hazard class(es)	9
14.4 Packing group	III
14.5 Environm. Hazardous Mark	YES

14.6 Special precautions for user

SAFETY DATA SHEET



HUSSAR

Version 2 / NZ
102000011353

11/12

Revision Date: 18.07.2024
Print Date: 18.07.2024

See sections 6 to 8 of this Safety Data Sheet.

14.7 Transport in bulk according to IMO instruments

No transport in bulk according to the IBC Code.

SECTION 15: REGULATORY INFORMATION

15.1 Safety, health and environmental regulations/legislation specific for the substance or mixture

Further information

HSNO approval-Nr.	HSR000065
HSNO Controls	See www.epa.govt.nz
ACVM Reg.	P7047
ACVM Condition	See www.foodsafety.govt.nz

SECTION 16: OTHER INFORMATION

Abbreviations and acronyms

ADN	European Agreement concerning the International Carriage of Dangerous Goods by Inland Waterways
ADR	European Agreement concerning the International Carriage of Dangerous Goods by Road
ATE	Acute toxicity estimate
CAS-Nr.	Chemical Abstracts Service number
Conc.	Concentration
ECx	Effective concentration to x %
EINECS	European inventory of existing commercial substances
ELINCS	European list of notified chemical substances
EN	European Standard
EU	European Union
IATA	International Air Transport Association
IBC	International Code for the Construction and Equipment of Ships Carrying Dangerous Chemicals in Bulk (IBC Code)
ICx	Inhibition concentration to x %
IMDG	International Maritime Dangerous Goods
LCx	Lethal concentration to x %
LDx	Lethal dose to x %
LOEC/LOEL	Lowest observed effect concentration/level
MARPOL	MARPOL: International Convention for the prevention of marine pollution from ships
N.O.S.	Not otherwise specified
NOEC/NOEL	No observed effect concentration/level
OECD	Organization for Economic Co-operation and Development
RID	Regulations concerning the International Carriage of Dangerous Goods by Rail
TWA	Time weighted average
UN	United Nations
WHO	World health organisation

The data given here is based on current knowledge and experience. The purpose of this Safety Data

SAFETY DATA SHEET



HUSSAR

Version 2 / NZ
102000011353

12/12

Revision Date: 18.07.2024
Print Date: 18.07.2024

Sheet is to describe products in terms of their safety requirements. The above details do not imply any guarantee concerning composition, properties or performance of the product.

Changes since the last version are highlighted in the margin. This version replaces all previous versions.