

SAFETY DATA SHEET

Section 1: IDENTIFICATION

Product Name:	FUSILADE FORTE
Design Code:	A12715A
Recommended Use:	Herbicide
Company Details:	Syngenta Crop Protection Limited
Address:	Level 4, 60 Parnell Road, Parnell AUCKLAND 1052 NEW ZEALAND
Telephone number:	(weekdays) 09 306 1500
Emergency Telephone number:	(24 Hours) 0800 734 607
National Poisons & Hazchem Information Centre :	0800 POISON (0800 764 766)

Section 2: HAZARDS IDENTIFICATION

GHS classification:

Flammable liquid:	Category 4
Skin sensitisation:	Category 1
Specific target organ toxicity, repeat exposure:	Category 2
Hazardous to the aquatic environment, chronic:	Category 2
Hazardous to soil organisms	

GHS label elements:

Hazard pictogram:



Signal word:

WARNING

Hazard statements:

H227 Combustible liquid.
H317 May cause an allergic skin reaction.
H373 May cause liver damage through prolonged or repeated exposure
H411 Toxic to aquatic life with long lasting effects.

Precautionary statements:

Prevention:
P210 Keep away from heat, hot surfaces, sparks, open flames and other ignition sources. No smoking.
P260 Do not breathe mist or spray
P272 Contaminated work clothing should not be allowed out of the workplace.
P280 Wear protective gloves/ protective clothing/ eye protection/ face protection.
Response:
P302 + P352 IF ON SKIN: Wash with plenty of water.
P333 + P313 If skin irritation occurs: Get medical advice/attention.
P314 Get medical advice/attention if you feel unwell.
P262 + P364 Take off contaminate clothing and wash it before reuse.
P370 + P378 In case of fire: Use dry sand, dry chemical or alcohol-resistant foam to extinguish.
P391 Collect spillage.
Storage:
P403 Store in a well-ventilated place.
Disposal:
P501 Dispose of contents/ container to an approved waste disposal plant.

Section 3: COMPOSITION / INFORMATION ON INGREDIENTS

Mixture:

Chemical Identity of ingredients:

Ingredient	CAS no.	Content (%w/w)
Fluazifop-P-butyl	79241-46-6	15
Alcohols, C16-18 and C18-unsatd, ethoxylated	68920-66-1	>=20-<30
Octan-1-ol	111-87-5	>=1-<5
Calcium dodecylbenzene-sulphonate	26264-06-2	>=1-<5
other ingredients determined not to be hazardous	-	to 100%

Section 4: FIRST AID MEASURES

Description of First Aid measures:

General Advice:	For advice contact the National Poisons Centre on 0800 POISON (0800 764 766) or a doctor immediately. Begin artificial respiration if the victim is not breathing. Use mouth to nose rather than mouth to mouth. Obtain medical attention.
If inhaled:	Move the victim to fresh air. If breathing is irregular or stopped, administer artificial respiration. Keep patient warm and at rest. Call a Doctor or the National Poisons Centre immediately.
In case of skin contact:	Take off all contaminated clothing immediately. Wash off immediately with plenty of water. If skin irritation persists, call a doctor. Wash contaminated clothing before re-use.
In case of eye contact:	Rinse immediately with plenty of water, also under the eyelids, for at least 15 minutes. Remove contact lenses (if present). Immediate medical attention is required.
If swallowed:	If swallowed, rinse mouth. Seek medical advice immediately and show the container or label. DO NOT induce vomiting.

Important symptoms and effects, both acute and delayed:

Symptoms: No information available

Indication of any immediate medical attention and special treatment needed:

Treatment: There is no specific antidote available.
Treat symptomatically.

Section 5: FIRE-FIGHTING MEASURES

Extinguishing media:

Suitable extinguishing media:	Small fires: Use water spray, alcohol-resistant foam, dry chemical or carbon dioxide. Large Fires: Alcohol resistant foam or water spray.
Unsuitable extinguishing media:	Do not use a solid water stream as it may scatter and spread fire.

Special hazards arising from the substance or mixture:

Specific hazards during fire-fighting: As the product contains combustible organic components, fire will produce dense black smoke containing hazardous products of combustion (see section 10)
Exposure to decomposition products may be a hazard to health.

Advice for firefighters:

Special protective equipment for firefighters: Wear full protective clothing and self-contained breathing apparatus.

Further information: Do not allow run-off from fire fighting to enter drains or water courses.
Cool closed containers exposed to fire with water spray.

Section 6: ACCIDENTAL RELEASE MEASURES

Personal precautions, protective equipment and emergency procedures

Refer to protective measures listed in Sections 7 and 8.
Avoid dust formation.

Environmental Precautions:

Prevent further leakage or spillage if safe to do so.
Do not flush into surface water or sanitary sewer system.

Methods and material for containment and cleaning up:

Contain spillage, and then collect with non-combustible absorbent material, (eg, sand, earth, diatomaceous earth, vermiculite) and place in container for disposal according to local regulations (see section 13). If the product contaminates rivers and lakes or drains inform respective authorities.

Reference to other sections:

Refer to disposal considerations listed in Section 13.
Refer to protective measures listed in sections 7 and 8.

Section 7: HANDLING AND STORAGE

Precautions for Safe handling:

Advice on safe handling:

No special protective measures against fire required.
Avoid contact with skin and eyes.
When using do not eat, drink or smoke.
For personal protection see section 8.

Conditions for safe storage, including any incompatibilities:

Requirements for storage areas and containers:

No special storage conditions required. Keep containers tightly closed in a dry, cool and well-ventilated place. Keep out of reach of children. Keep away from food, drink and animal feeding stuffs.

Specific end use(s)

Specific use(s)

For proper and safe use of this product, please refer to the approval conditions laid down on the product label.

Section 8: EXPOSURE CONTROL / PERSONAL PROTECTION

Control Parameters

Occupational Exposure Limits:

Components	CAS No	Exposure limit	Type of exposure limit	Source
Fluazifop-P-butyl	79241-46-6	0.5 mg/m ³	8 h TWA	Syngenta

Exposure controls

Engineering measures:

Containment and/or segregation is the most reliable technical protection measure if exposure cannot be eliminated. The extent of these protection measures depends on the actual risks in use. If airborne dust is generated, use local exhaust ventilation controls. Assess exposure and use any additional measures to keep airborne levels below any relevant exposure limit. Where necessary, seek additional occupational hygiene advice.

Personal Protective Protection:

Eye protection:

Eye protection is not usually required.
Follow any site specific eye protection policies.

Hand protection:

Material:

Water proof gloves, such as nitrile rubber

Break through time:

>480 min

Glove thickness:

0.5 mm

Remarks:

The choice of an appropriate glove does not only depend on its material but also on other quality features and is different from one

Skin and body protection:	<p>producer to the other. Please observe the instructions regarding permeability and breakthrough time which are provided by the supplier of the gloves. Also take into consideration the specific local conditions under which the product is used, such as the danger of cuts, abrasion and the contact time. The breakthrough time depends amongst other things on the material, the thickness and the type of glove and therefore has to be measured for each case. Gloves should be discarded and replaced if there is any indication of degradation or chemical breakthrough.</p> <p>Assess the exposure and select chemical resistant clothing based on the potential for contact and the permeation / penetration characteristics of the clothing material.</p> <p>Wash with soap and water after removing protective clothing.</p> <p>Decontaminate clothing before re-use or use disposable equipment (suits, aprons, sleeves, boots, etc).</p> <p>Wear as appropriate: Impervious protective suit.</p>
Respiratory protection:	<p>When workers are facing concentrations above the exposure limit they must use appropriate certified respirators.</p> <p>Suitable respiratory equipment: Respirator with combination filter for vapour / particulate. The filter class for the respirator must be suitable for the maximum expected contaminant concentration (gas, vapour, aerosol, particulates) that may arise when handling the product. If this concentration is exceeded, self-contained breathing apparatus must be used.</p> <p>Filter Type: Organic vapour type (A)</p>
Protective measures:	<p>The use technical measures should always have priority over the use of personal protective equipment.</p> <p>When selecting personal protective equipment, seek appropriate professional advice.</p> <p>Personal protective equipment should be certified to appropriate standards.</p>

Section 9: PHYSICAL AND CHEMICAL PROPERTIES

Information on basic physical and chemical properties:

Appearance:	Liquid
Colour:	Brown liquid clear to slightly turbid
Odour:	Characteristic
Odour threshold:	No data
pH value	4-8, concentration: 1% w/v
Melting point / freezing point:	No data
Initial boiling point and boiling range:	No data
Flash point:	86°C (Setaflash closed cup)
Flammability:	No data
Upper / lower flammability / explosive limits:	No data
Vapour pressure:	No data
Vapour Density:	No data
Density:	0.951 g/cm ³ (20°C) 0.936 g/cm ³ (40°C)
Solubility in other solvents:	Miscible in water
Partition co-efficient: n-octanol / water:	No data
Autoignition temperature	265°C
Decomposition temperature:	No data
Dynamic viscosity:	54.1-54.8 mPa.s (20°C) 22.1-22.4 mPa.s (40°C)
Explosive properties:	Not explosive
Oxidising properties:	Not oxidising
Surface tension:	32.4 mN/m at 20°C

Section 10: STABILITY AND REACTIVITY

Reactivity: No information available
Chemical Stability: No information available
Possibility of Hazardous Reactions: None known
Conditions to Avoid No decomposition if used as directed.
Incompatible Materials: No information available
Hazardous Decomposition Products: Combustion or thermal decomposition will evolve toxic and irritant vapours.

Section 11: TOXICOLOGICAL INFORMATION

Acute toxicity (similar composition)	
Swallowed:	LD ₅₀ >2000 mg/kg (rat, female)
Dermal absorption:	LD ₅₀ >4000 mg/kg (rat, male and female)
Inhaled:	LC ₅₀ (4 h) >5.0 mg/L (rat)
Aspiration hazard:	Not classified
Respiratory irritation:	Not classified
Skin corrosion / irritation:	MODERATE IRRITANT (rabbit)
Eye damage / irritation:	NON-IRRITANT (rabbit/HSNO Classification)
Respiratory or Skin Sensitisation:	MILD SENSITISER (skin - guinea pig)
Chronic / Long Term Effects (active ingredient)	
Germ cell mutagenicity:	Animal testing did not show any mutagenic effects.
Carcinogenicity:	No evidence of carcinogenicity in animal studies.
Reproductive toxicity:	No toxicity to reproduction.
Specific Organ toxicity:	<i>Single exposure:</i> The substance or mixture is not classified as specific target organ toxicant, single exposure. <i>Repeated exposure:</i> The substance or mixture is classified as specific target organ toxicant, repeated exposure, category 2, liver damage
Narcotic Effects:	Not classified

Section 12: ECOLOGICAL INFORMATION

Ecotoxicity Effects – aquatic (product)	
Acute toxicity to fish:	LC ₅₀ (96 h) = 20 mg/L (<i>Onchorhynchus mykiss</i> [rainbow trout])
Toxicity to daphnia and other aquatic invertebrates:	EC ₅₀ (48h) = 20 mg/L (<i>Daphnia magna</i> (water flea))
Toxicity to algae:	E _b C ₅₀ (72 h) = 0.23 mg/L (<i>Pseudokirchneriella subcapitata</i> [green algae]) E _r C ₅₀ (72 h) = 0.84 mg/L (<i>Pseudokirchneriella subcapitata</i> [green algae])
Ecotoxicity Effects – terrestrial (active ingredient unless otherwise specified)	
Toxicity to Birds:	LD ₅₀ = >3500 mg/kg (mallard duck)
Toxicity to soil dwelling organisms:	LC ₅₀ (14 days) = >1000 mg/kg (earthworms)
Toxicity to Bees:	LD ₅₀ (24h contact) = >212 µg/bee LD ₅₀ (24h oral) = >382 µg/bee

Persistence and degradability:	
Biodegradability:	
Stability in water:	Degradation half-life: 1.5-1.7 d Not persistent in water.
Bioaccumulative potential:	
Bioaccumulation:	Does not bioaccumulate.
Mobility in soil:	
Distribution among environmental compartments:	Immobile
Stability in soil:	Degradation half-life: <2 d Not persistent in soil.
Other adverse effects:	
Results of PBT and vPvB assessment (product):	This substance contains no components considered to be either persistent, bioaccumulative and toxic (PBT) or very persistent and very bioaccumulative (vPvB) at levels of 0.1% or higher.

Section 13: DISPOSAL CONSIDERATIONS

Product Disposal:	DO NOT contaminate ponds, waterways or ditches with chemical or used containers. DO NOT dispose of waste into sewer. Dispose of this product only by using according to the label. Otherwise, dispose of waste at an approved landfill or other approved facility that will ensure the substance does not exceed the tolerable exposure limit (TEL) or environmental exposure limit (EEL), where relevant, or will treat the substance so that it is rendered no longer hazardous.
Container Disposal:	Ensure the container is empty. Triple rinse empty container and add rinsate to the spray tank. Recycle empty container through Agrecovery (0800 247 326, www.agrecovery.co.nz). Otherwise crush and bury in a suitable landfill. DO NOT reuse this container for any other purpose.

Section 14: TRANSPORT INFORMATION

Rail / Road (NZS 5433)	UN-No:	3082
	Class:	9
	Packing Group:	III
	Proper shipping name:	ENVIRONMENTALLY HAZARDOUS SUBSTANCE, LIQUID, N.O.S. (Fluazifop-P-butyl)
Sea (IMDG-Code)	UN-No:	3082
	Class:	9
	Packing Group:	III
	Proper shipping name:	ENVIRONMENTALLY HAZARDOUS SUBSTANCE, LIQUID, N.O.S. (Fluazifop-P-butyl)
	EmS Code:	F-A, S-F
	MARINE POLLUTANT:	Yes
Air (IATA)	UN-No:	3082
	Class:	9
	Packing Group:	III
	Proper shipping name:	ENVIRONMENTALLY HAZARDOUS SUBSTANCE LIQUID, N.O.S. (Fluazifop-P-butyl)
	Packing instruction:	Y964 (cargo and passenger aircraft)

Section 15: REGULATORY INFORMATION

HSNO Approval Number:	HSR007852
Tolerable Exposure Limit or Environmental Exposure Limit:	None set at this time
Required Regulatory Controls:	
Certified handler:	No
Tracking:	No
Record Keeping:	Yes
ACVM Registration:	P 7695
ACVM Controls:	See www.foodsafety.govt.nz for registration conditions.
International Agreements related to the substance (eg, Montreal Protocol, Stockholm Convention or Rotterdam Convention):	Not applicable

Section 16: OTHER INFORMATION

Date of SDS Preparation / Review:	29 January 2025
Version number of SDS:	8.0
Key / Legend to abbreviations and acronyms used:	
<p>AICS - Australian Inventory of Chemical Substances; ANTT - National Agency for Transport by Land of Brazil; ASTM - American Society for the Testing of Materials; bw - Body weight; CMR -Carcinogen, Mutagen or Reproductive Toxicant; CPR - Controlled Products Regulations; DIN - Standard of the German Institute for Standardisation; DSL - Domestic Substances List (Canada); ECx - Concentration associated with x% response; ELx - Loading rate associated with x% response; EmS - Emergency Schedule; ENCS - Existing and New Chemical Substances (Japan); ErCx - Concentration associated with x% growth rate response; ERG - Emergency Response Guide; GHS - Globally Harmonized System; GLP - Good Laboratory Practice; IARC - International Agency for Research on Cancer; IATA - International Air Transport Association; IBC - International Code for the Construction and Equipment of Ships carrying Dangerous Chemicals in Bulk; IC50 - Half maximal inhibitory concentration; ICAO - International Civil Aviation Organization; IECSC - Inventory of Existing Chemical Substances in China; IMDG - International Maritime Dangerous Goods; IMO - International Maritime Organization; ISHL - Industrial Safety and Health Law (Japan); ISO - International Organisation for Standardization; KECI - Korea Existing Chemicals Inventory; LC50 - Lethal Concentration to 50 % of a test population; LD50 - Lethal Dose to 50% of a test population (Median Lethal Dose);</p>	
<p>MARPOL - International Convention for the Prevention of Pollution from Ships; n.o.s. - Not Otherwise Specified; Nch - Chilean Norm; NO(A)EC - No Observed (Adverse) Effect Concentration; NO(A)EL - No Observed (Adverse) Effect Level; NOELR - No Observable Effect Loading Rate; NOM - Official Mexican Norm; NTP - National Toxicology Program; NZIoC - New Zealand Inventory of Chemicals; OECD - Organization for Economic Co-operation and Development; OPPTS - Office of Chemical Safety and Pollution Prevention; PBT - Persistent, Bioaccumulative and Toxic substance; PICCS - Philippines Inventory of Chemicals and Chemical Substances; (Q)SAR - (Quantitative) Structure Activity/Relationship; REACH - Regulation (EC) No 1907/2006 of the European Parliament and of the Council concerning the Registration, Evaluation, Authorisation and Restriction of Chemicals; SADT - Self-Accelerating Decomposition Temperature; SDS - Safety Data Sheet; TCSI - Taiwan Chemical Substance Inventory; TDG - Transportation of Dangerous Goods; TSCA - Toxic Substances Control Act (United States); UN - United Nations; UNRTDG - United Nations Recommendations on the Transport of Dangerous Goods; vPvB - Very Persistent and Very Bioaccumulative; WES – Workplace Exposure Standard (Worksafe NZ) WHMIS - Workplace Hazardous Materials Information System</p>	
<p>The information provided in this Safety Data Sheet is correct to the best of our knowledge, information and belief at the date of its publication. The information given is designed only as a guidance for safe handling, use, processing, storage, transportation, disposal and release and is not to be considered a warranty or quality specification. The information relates only to the specific material designated and may not be valid for such material used in combination with any other materials or in any process, unless specified in the test.</p>	
<p>This version replaces all previous versions. PRODUCT NAMES are a trademark or registered trademark of a Syngenta Group Company.</p>	