

RIDOMIL GOLD MZ WG

Version 7.0 Revision Date: 11.04.2025 SDS Number: S131570990 Date of last issue: -
Date of first issue: 11.04.2025

Section 1: Identification

Product name : RIDOMIL GOLD MZ WG

Design code : A9651D

Manufacturer or supplier's details

Company : Syngenta Crop Protection Limited

Address : Level 4, 60 Parnell Road, Parnell
Auckland
New Zealand

Telephone : 09 306 1500 (weekdays)

Emergency telephone number : 0800 POISON (0800 764766) (National Poisons & Hazchem
Information Centre)
0800 734 607(Syngenta - 24 hours)

Telefax : None

Recommended use of the chemical and restrictions on use

Recommended use : Fungicide

Section 2: Hazard identification**GHS Classification**

Skin sensitisation : Category 1

Specific target organ toxicity - repeated exposure : Category 2 (Liver)

Hazardous to the aquatic environment - acute hazard : Category 1

Hazardous to the aquatic environment - chronic hazard : Category 1

GHS label elements

Hazard pictograms :



Signal word : Warning

Hazard statements : H317 May cause an allergic skin reaction.

RIDOMIL GOLD MZ WG

Version 7.0	Revision Date: 11.04.2025	SDS Number: S131570990	Date of last issue: - Date of first issue: 11.04.2025
----------------	------------------------------	---------------------------	--

H373 May cause damage to organs (Liver) through prolonged or repeated exposure if swallowed.
 H400 Very toxic to aquatic life.
 H410 Very toxic to aquatic life with long lasting effects.

Precautionary statements :

Prevention:

P260 Do not breathe dust or spray.
 P272 Contaminated work clothing should not be allowed out of the workplace.
 P280 Wear protective gloves/ protective clothing/ eye protection/ face protection/ hearing protection.

Response:

P302 + P352 IF ON SKIN: Wash with plenty of water.
 P333 + P313 If skin irritation or rash occurs: Get medical advice/ attention.
 P314 Get medical advice/ attention if you feel unwell.
 P362 + P364 Take off contaminated clothing and wash it before reuse.
 P391 Collect spillage.

Disposal:

P501 Dispose of contents/ container to an approved waste disposal plant.

Other hazards which do not result in classification

May form combustible dust concentrations in air.

Section 3: Composition/information on ingredients

Substance / Mixture : Mixture

Components

Chemical name	CAS-No.	Concentration (% w/w)
mancozeb (ISO)	8018-01-7	>= 50 -< 70
metalaxyl-M (ISO)	70630-17-0	>= 3 -< 10
urea, polymer with formaldehyde	9011-05-6	>= 1 -< 10

Section 4: First-aid measures

General advice : Have the product container, label or Safety Data Sheet with you when calling the emergency number, a poison control center or physician, or going for treatment.

If inhaled : Move the victim to fresh air.
 If breathing is irregular or stopped, administer artificial respiration.
 Keep patient warm and at rest.
 Call a physician or poison control centre immediately.

In case of skin contact : Take off all contaminated clothing immediately.
 Wash off immediately with plenty of water.
 If skin irritation persists, call a physician.

RIDOMIL GOLD MZ WG

Version	Revision Date:	SDS Number:	Date of last issue: -
7.0	11.04.2025	S131570990	Date of first issue: 11.04.2025

In case of eye contact	:	Wash contaminated clothing before re-use. Rinse immediately with plenty of water, also under the eyelids, for at least 15 minutes. Remove contact lenses. Immediate medical attention is required.
If swallowed	:	If swallowed, seek medical advice immediately and show this container or label. Do NOT induce vomiting.
Most important symptoms and effects, both acute and delayed	:	Nonspecific No symptoms known or expected. May cause an allergic skin reaction. May cause damage to organs through prolonged or repeated exposure.
Notes to physician	:	There is no specific antidote available. Treat symptomatically.

Section 5: Fire-fighting measures

Suitable extinguishing media	:	Extinguishing media - small fires Use water spray, alcohol-resistant foam, dry chemical or carbon dioxide. Extinguishing media - large fires Alcohol-resistant foam or Water spray
Unsuitable extinguishing media	:	Do not use a solid water stream as it may scatter and spread fire.
Specific hazards during fire-fighting	:	Fire will spread by smouldering or slow decomposition. As the product contains combustible organic components, fire will produce dense black smoke containing hazardous products of combustion (see section 10). Exposure to decomposition products may be a hazard to health.
Hazardous combustion products	:	Carbon oxides Nitrogen oxides (NOx) Sulphur oxides
Specific extinguishing methods	:	Do not allow run-off from fire fighting to enter drains or water courses. Cool closed containers exposed to fire with water spray.
Special protective equipment for firefighters	:	Wear full protective clothing and self-contained breathing apparatus.
Hazchem Code	:	2Z

Section 6: Accidental release measures

Personal precautions, protection	:	Refer to protective measures listed in sections 7 and 8.
----------------------------------	---	--

RIDOMIL GOLD MZ WG

Version 7.0	Revision Date: 11.04.2025	SDS Number: S131570990	Date of last issue: - Date of first issue: 11.04.2025
----------------	------------------------------	---------------------------	--

tive equipment and emergency procedures

Avoid dust formation.

Environmental precautions

: Do not flush into surface water or sanitary sewer system. If the product contaminates rivers and lakes or drains inform respective authorities.

Methods and materials for containment and cleaning up

: Contain spillage, pick up with an electrically protected vacuum cleaner or by wet-brushing and transfer to a container for disposal according to local regulations (see section 13). Do not create a powder cloud by using a brush or compressed air. Clean contaminated surface thoroughly. Clean with detergents. Avoid solvents. Retain and dispose of contaminated wash water.

Section 7: Handling and storage

Advice on safe handling

: This material is capable of forming flammable dust clouds in air, which, if ignited, can produce a dust cloud explosion. Flames, hot surfaces, mechanical sparks and electrostatic discharges can serve as ignition sources for this material. Electrical equipment should be compatible with the flammability characteristics of this material. The flammability characteristics will be made worse if the material contains traces of flammable solvents or is handled in the presence of flammable solvents.

This material can become readily charged in most operations.

This material is capable of forming flammable dust clouds in air, which, if ignited, can produce a dust cloud explosion. Flames, hot surfaces, mechanical sparks and electrostatic discharges can serve as ignition sources for this material. Electrical equipment should be compatible with the flammability characteristics of this material. The flammability characteristics will be made worse if the material contains traces of flammable solvents or is handled in the presence of flammable solvents.

This material can become readily charged in most operations.

Avoid contact with skin and eyes.
When using do not eat, drink or smoke.
For personal protection see section 8.

Conditions for safe storage

: Keep containers tightly closed in a dry, cool and well-ventilated place.
Keep out of the reach of children.
Keep away from food, drink and animal feedingstuffs.

RIDOMIL GOLD MZ WG

Version 7.0 Revision Date: 11.04.2025 SDS Number: S131570990 Date of last issue: -
Date of first issue: 11.04.2025

Section 8: Exposure controls/personal protection

Components with workplace control parameters

Components	CAS-No.	Value type (Form of exposure)	Control parameters / Permissible concentration	Basis
mancozeb (ISO)	8018-01-7	WES-TWA (Respirable dust)	0.02 mg/m ³ (Manganese)	NZ OEL
	Further information: Ototoxin			
		WES-TWA (inhalable dust)	0.2 mg/m ³ (Manganese)	NZ OEL
	Further information: Ototoxin			
		TWA	1 mg/m ³	Supplier
metalaxyl-M (ISO)	70630-17-0	TWA	5 mg/m ³	Syngenta

Engineering measures : THE FOLLOWING RECOMMENDATIONS FOR EXPOSURE CONTROLS/PERSONAL PROTECTION ARE INTENDED FOR THE MANUFACTURE, FORMULATION AND PACKAGING OF THE PRODUCT. FOR COMMERCIAL APPLICATIONS AND/OR ON-FARM APPLICATIONS CONSULT THE PRODUCT LABEL.

Containment and/or segregation is the most reliable technical protection measure if exposure cannot be eliminated.

The extent of these protection measures depends on the actual risks in use.

Maintain air concentrations below occupational exposure standards.

Where necessary, seek additional occupational hygiene advice.

Personal protective equipment

Respiratory protection : When workers are facing concentrations above the exposure limit they must use appropriate certified respirators.
Suitable respiratory equipment:
Respirator with a half face mask
The filter class for the respirator must be suitable for the maximum expected contaminant concentration (gas/vapour/aerosol/particulates) that may arise when handling the product. If this concentration is exceeded, self-contained breathing apparatus must be used.

Hand protection

Material : Nitrile rubber
Break through time : > 480 min
Glove thickness : 0.5 mm

RIDOMIL GOLD MZ WG

Version 7.0	Revision Date: 11.04.2025	SDS Number: S131570990	Date of last issue: - Date of first issue: 11.04.2025
----------------	------------------------------	---------------------------	--

- Remarks : Wear protective gloves. The choice of an appropriate glove does not only depend on its material but also on other quality features and is different from one producer to the other. Please observe the instructions regarding permeability and breakthrough time which are provided by the supplier of the gloves. Also take into consideration the specific local conditions under which the product is used, such as the danger of cuts, abrasion, and the contact time. The break through time depends amongst other things on the material, the thickness and the type of glove and therefore has to be measured for each case. Gloves should be discarded and replaced if there is any indication of degradation or chemical breakthrough.
- Eye protection : No special protective equipment required.
- Skin and body protection : Choose body protection in relation to its type, to the concentration and amount of dangerous substances, and to the specific work-place.
Remove and wash contaminated clothing before re-use.
Wear as appropriate:
Dust impervious protective suit
- Protective measures : The use of technical measures should always have priority over the use of personal protective equipment.
When selecting personal protective equipment, seek appropriate professional advice.
- Personal protective equipment should comply with relevant national standards

Section 9: Physical and chemical properties

- Appearance : granules
- Colour : light yellow to light brown
- Odour : weak
- Odour Threshold : No data available
- pH : 6.0 - 8.0
Concentration: 1 %w/v
- Melting point/freezing point : No data available
- Initial boiling point and boiling range : No data available
- Flash point : No data available
- Evaporation rate : No data available
- Flammability (solid, gas) : May form combustible dust concentrations in air.
- Burning number : 5 (100 °C)

RIDOMIL GOLD MZ WG

Version	Revision Date:	SDS Number:	Date of last issue: -
7.0	11.04.2025	S131570990	Date of first issue: 11.04.2025

4 (20 °C)

Upper explosion limit / Upper flammability limit : No data available

Lower explosion limit / Lower flammability limit : No data available

Vapour pressure : No data available

Relative vapour density : No data available

Density : 1 g/cm³

Bulk density : 0.45 - 0.65 g/cm³

Solubility(ies)
Solubility in other solvents : No data available

Partition coefficient: n-octanol/water : No data available

Auto-ignition temperature : 152 °C

Decomposition temperature : No data available

Minimum ignition temperature : 340 °C

Viscosity
Viscosity, kinematic : No data available

Explosive properties : Not explosive

Oxidizing properties : The substance or mixture is not classified as oxidizing.

Self-heating substances : The substance or mixture is not classified as self heating.

Surface tension : 57.8 mN/m, 30.000 g/l, 20 °C

Minimum ignition energy : 300 - 1,000 mJ

Particle characteristics
Particle size : No data available

Section 10: Stability and reactivity

Reactivity : None reasonably foreseeable.

Chemical stability : Stable under normal conditions.

Possibility of hazardous reactions : No dangerous reaction known under conditions of normal use.

Conditions to avoid : No decomposition if used as directed.

RIDOMIL GOLD MZ WG

Version	Revision Date:	SDS Number:	Date of last issue: -
7.0	11.04.2025	S131570990	Date of first issue: 11.04.2025

Incompatible materials : None known.
Hazardous decomposition products : No hazardous decomposition products are known.

Section 11: Toxicological information

Exposure routes : Ingestion
Inhalation
Skin contact
Eye contact

Acute toxicity

Harmful if inhaled.

Product:

Acute oral toxicity : LD50 (Rat, female): > 5,000 mg/kg
Acute inhalation toxicity : LC50 (Rat, male and female): 2.02 - 5.06 mg/l
Exposure time: 4 h
Test atmosphere: dust/mist
Acute dermal toxicity : LD50 (Rat, male and female): > 5,000 mg/kg

Components:**mancozeb (ISO):**

Acute oral toxicity : LD50 (Rat): > 5,000 mg/kg
Acute inhalation toxicity : LC50 (Rat): > 5.14 mg/l
Exposure time: 4 h
Test atmosphere: dust/mist
Assessment: The substance or mixture has no acute inhalation toxicity
Acute dermal toxicity : LD50 (Rat): > 5,000 mg/kg

metalaxyl-M (ISO):

Acute oral toxicity : LD50 (Rat, female): 375 mg/kg
Acute inhalation toxicity : LC50 (Rat, male and female): > 2.29 mg/l
Exposure time: 4 h
Test atmosphere: dust/mist
Assessment: The substance or mixture has no acute inhalation toxicity
Remarks: Highest attainable concentration
Acute dermal toxicity : LD50 (Rat, male and female): > 2,000 mg/kg
Assessment: The substance or mixture has no acute dermal toxicity

RIDOMIL GOLD MZ WG

Version	Revision Date:	SDS Number:	Date of last issue: -
7.0	11.04.2025	S131570990	Date of first issue: 11.04.2025

Skin corrosion/irritation

Based on available data, the classification criteria are not met.

Product:

Species	:	Rabbit
Result	:	No skin irritation

Components:**mancozeb (ISO):**

Species	:	Rabbit
Result	:	No skin irritation

metalaxyl-M (ISO):

Species	:	Rabbit
Result	:	No skin irritation

Serious eye damage/eye irritation

Based on available data, the classification criteria are not met.

Product:

Species	:	Rabbit
Result	:	No eye irritation

Components:**mancozeb (ISO):**

Species	:	Rabbit
Result	:	No eye irritation

metalaxyl-M (ISO):

Species	:	Rabbit
Result	:	Risk of serious damage to eyes.

Respiratory or skin sensitisation**Skin sensitisation**

May cause an allergic skin reaction.

Respiratory sensitisation

May cause allergy or asthma symptoms or breathing difficulties if inhaled.

Product:

Test Type	:	Buehler Test
Species	:	Guinea pig
Result	:	May cause sensitisation by skin contact.

RIDOMIL GOLD MZ WG

Version	Revision Date:	SDS Number:	Date of last issue: -
7.0	11.04.2025	S131570990	Date of first issue: 11.04.2025

Components:**mancozeb (ISO):**

Species : Guinea pig
Result : May cause sensitisation by skin contact.

metalaxyl-M (ISO):

Species : Guinea pig
Result : Does not cause skin sensitisation.

Chronic toxicity**Germ cell mutagenicity**

Not classified due to lack of data.

Components:**mancozeb (ISO):**

Germ cell mutagenicity - Assessment : Animal testing did not show any mutagenic effects.

metalaxyl-M (ISO):

Germ cell mutagenicity - Assessment : Animal testing did not show any mutagenic effects.

Carcinogenicity

Suspected of causing cancer.

Components:**mancozeb (ISO):**

Carcinogenicity - Assessment : Limited evidence of carcinogenicity in animal studies

metalaxyl-M (ISO):

Carcinogenicity - Assessment : No evidence of carcinogenicity in animal studies.

Reproductive toxicity

May damage fertility or the unborn child.

Components:**mancozeb (ISO):**

Reproductive toxicity - Assessment : Clear evidence of adverse effects on development, based on animal experiments.

metalaxyl-M (ISO):

Reproductive toxicity - Assessment : No toxicity to reproduction

STOT - single exposure

May cause damage to organs if swallowed.

RIDOMIL GOLD MZ WG

Version	Revision Date:	SDS Number:	Date of last issue: -
7.0	11.04.2025	S131570990	Date of first issue: 11.04.2025

STOT - repeated exposure

May cause damage to organs (Thyroid, Nervous system) through prolonged or repeated exposure.

Components:

mancozeb (ISO):

Target Organs	:	Thyroid, Nervous system
Assessment	:	The substance or mixture is classified as specific target organ toxicant, repeated exposure, category 2.

metalaxyl-M (ISO):

Assessment	:	The substance or mixture is not classified as specific target organ toxicant, single exposure.
------------	---	--

Aspiration toxicity

Not classified due to lack of data.

Section 12: Ecological information

Ecotoxicity

Product:

Toxicity to fish	:	LC50 (Cyprinus carpio (Carp)): 23 mg/l Exposure time: 96 h
Toxicity to daphnia and other aquatic invertebrates	:	EC50 (Daphnia magna Straus): 0.8 mg/l Exposure time: 48 h
Toxicity to algae/aquatic plants	:	ErC50 (Raphidocelis subcapitata (freshwater green alga)): 0.219 mg/l Exposure time: 72 h NOEC (Raphidocelis subcapitata (freshwater green alga)): 0.031 mg/l End point: Growth rate Exposure time: 72 h
Toxicity to soil dwelling organisms	:	LC50 (Eisenia fetida (earthworms)): > 1,000 mg/kg Exposure time: 14 d EC50 (Eisenia fetida (earthworms)): Calculated value > 100 mg/kg Exposure time: 14 d
Toxicity to terrestrial organisms	:	LD50 (Apis mellifera (bees)): > 613 µg/bee Exposure time: 48 h End point: Acute oral toxicity LD50 (Apis mellifera (bees)): > 1471 µg/bee Exposure time: 48 h

RIDOMIL GOLD MZ WG

Version	Revision Date:	SDS Number:	Date of last issue: -
7.0	11.04.2025	S131570990	Date of first issue: 11.04.2025

End point: Acute contact toxicity

LC50 (*Colinus virginianus* (Bobwhite quail)): > 2,000 mg/kg

End point: Acute oral toxicity

Components:

mancozeb (ISO):

- | | | |
|--|---|---|
| Toxicity to fish | : | LC50 (<i>Oncorhynchus mykiss</i> (rainbow trout)): 0.088 mg/l
Exposure time: 96 h |
| Toxicity to daphnia and other aquatic invertebrates | : | EC50 (<i>Daphnia magna</i> (Water flea)): 0.073 mg/l
Exposure time: 48 h |
| Toxicity to algae/aquatic plants | : | ErC50 (<i>Raphidocelis subcapitata</i> (freshwater green alga)): 0.032 mg/l
Exposure time: 120 h

EC10 (<i>Raphidocelis subcapitata</i> (freshwater green alga)): 0.009 mg/l
End point: Growth rate
Exposure time: 120 h |
| M-Factor (Acute aquatic toxicity) | : | 10 |
| Toxicity to fish (Chronic toxicity) | : | EC10 (<i>Pimephales promelas</i> (fathead minnow)): 0.00127 mg/l
Exposure time: 215 d |
| Toxicity to daphnia and other aquatic invertebrates (Chronic toxicity) | : | EC10 (<i>Daphnia magna</i> (Water flea)): 0.0109 mg/l
Exposure time: 21 d |
| M-Factor (Chronic aquatic toxicity) | : | 10 |
| Toxicity to soil dwelling organisms | : | LC50 (<i>Eisenia fetida</i> (earthworms)): > 299 mg/kg
Exposure time: 14 d

EC50 (<i>Eisenia fetida</i> (earthworms)): Calculated value > 29.9 mg/kg
Exposure time: 14 d |
| Toxicity to terrestrial organisms | : | LD50 (<i>Colinus virginianus</i> (Bobwhite quail)): > 3,200 mg/kg
End point: Acute oral toxicity

LD50 (<i>Apis mellifera</i> (bees)): > 100 µg/bee
Exposure time: 48 h
End point: Acute oral toxicity

LD50 (<i>Apis mellifera</i> (bees)): > 100 µg/bee
Exposure time: 48 h
End point: Acute contact toxicity |

metalaxyl-M (ISO):

RIDOMIL GOLD MZ WG

Version	Revision Date:	SDS Number:	Date of last issue: -
7.0	11.04.2025	S131570990	Date of first issue: 11.04.2025

- Toxicity to fish : LC50 (Oncorhynchus mykiss (rainbow trout)): > 100 mg/l
Exposure time: 96 h
- LC50 (Cyprinus carpio (Carp)): > 100 mg/l
Exposure time: 96 h
- Toxicity to daphnia and other aquatic invertebrates : EC50 (Daphnia magna (Water flea)): > 100 mg/l
Exposure time: 48 h
- Toxicity to algae/aquatic plants : ErC50 (Raphidocelis subcapitata (freshwater green alga)): 271 mg/l
Exposure time: 96 h
- NOEC (Raphidocelis subcapitata (freshwater green alga)): 19.7 mg/l
End point: Growth rate
Exposure time: 96 h
- Toxicity to fish (Chronic toxicity) : NOEC (Oncorhynchus mykiss (rainbow trout)): 50 mg/l
Exposure time: 28 d
- Toxicity to daphnia and other aquatic invertebrates (Chronic toxicity) : NOEC (Daphnia magna (Water flea)): 25 mg/l
Exposure time: 21 d
- Toxicity to microorganisms : EC50 (activated sludge): > 100 mg/l
Exposure time: 3 h
- Toxicity to soil dwelling organisms : LC50 (Eisenia fetida (earthworms)): 830 mg/kg
Exposure time: 14 d
- EC50 (Eisenia fetida (earthworms)): Calculated value 83 mg/kg
Exposure time: 14 d
- Toxicity to terrestrial organisms : LD50 (Colinus virginianus (Bobwhite quail)): 981 mg/kg
Exposure time: 14 d
End point: Acute oral toxicity
- LD50 (Apis mellifera (bees)): > 97.3 µg/bee
Exposure time: 48 h
End point: Acute oral toxicity
- LD50 (Apis mellifera (bees)): > 100 µg/bee
Exposure time: 48 h
End point: Acute contact toxicity

Persistence and degradability

Components:

mancozeb (ISO):

Biodegradability : Result: Not readily biodegradable.

RIDOMIL GOLD MZ WG

Version	Revision Date:	SDS Number:	Date of last issue: -
7.0	11.04.2025	S131570990	Date of first issue: 11.04.2025

Stability in water : Degradation half life: 5.8 - 55 h
Remarks: Product is not persistent.

metalaxyl-M (ISO):

Biodegradability : Result: Not readily biodegradable.

Stability in water : Degradation half life: 22.4 - 47.5 d
Remarks: Product is not persistent.

Bioaccumulative potential

Components:

mancozeb (ISO):

Bioaccumulation : Bioconcentration factor (BCF): < 100
Remarks: Low bioaccumulation potential.

Partition coefficient: n-octanol/water : log Pow: 1.38

metalaxyl-M (ISO):

Bioaccumulation : Remarks: Low bioaccumulation potential.

Partition coefficient: n-octanol/water : log Pow: 1.71 (25 °C)

Mobility in soil

Components:

mancozeb (ISO):

Distribution among environmental compartments : Remarks: Low mobility in soil.

Stability in soil : Dissipation time: 6 - 15 h
Percentage dissipation: 50 % (DT50)
Remarks: Product is not persistent.

metalaxyl-M (ISO):

Distribution among environmental compartments : Remarks: Highly mobile in soils

Stability in soil : Dissipation time: < 50 d
Percentage dissipation: 50 % (DT50)
Remarks: Product is not persistent.

Other adverse effects

Components:

mancozeb (ISO):

Results of PBT and vPvB assessment : Substance is not persistent, bioaccumulative, and toxic (PBT).
Substance is not very persistent and very bioaccumulative (vPvB).

RIDOMIL GOLD MZ WG

Version	Revision Date:	SDS Number:	Date of last issue: -
7.0	11.04.2025	S131570990	Date of first issue: 11.04.2025

metalaxyl-M (ISO):

Results of PBT and vPvB assessment : Substance is not persistent, bioaccumulative, and toxic (PBT). Substance is not very persistent and very bioaccumulative (vPvB).

Section 13: Disposal considerations

Disposal methods

Waste from residues : Do not contaminate ponds, waterways or ditches with chemical or used container.
Do not dispose of waste into sewer.
Refer to the product label for specific disposal/recycling information
Otherwise, dispose of waste at an approved landfill or other approved facility that will ensure the substance does not exceed the tolerable exposure limit (TEL) or environmental exposure limit (EEL), where relevant, or will treat the substance so that it is rendered no longer hazardous.

Contaminated packaging : Empty remaining contents.
Triple rinse containers.
Add rinsings to spray tank
Recycle empty container through Agrecovery (0800 247 326, www.agrecovery.co.nz).
Empty containers can be landfilled, when in accordance with the local regulations.
Do not re-use empty containers.

Section 14: Transport information

International Regulations

UNRTDG

UN number : UN 3077
Proper shipping name : ENVIRONMENTALLY HAZARDOUS SUBSTANCE, SOLID, N.O.S. (MANCOZEB)
Class : 9
Packing group : III
Labels : 9
Environmentally hazardous : yes
Remarks : This product can be subject to exemptions when packaged in single or combination packagings containing a net quantity per single or inner packaging of 5 L or less for liquids, or having a net mass of 5 kg or less for solids.

IATA-DGR

UN/ID No. : UN 3077
Proper shipping name : Environmentally hazardous substance, solid, n.o.s. (MANCOZEB)

RIDOMIL GOLD MZ WG

Version	Revision Date:	SDS Number:	Date of last issue: -
7.0	11.04.2025	S131570990	Date of first issue: 11.04.2025

Class : 9
 Packing group : III
 Labels : Miscellaneous
 Packing instruction (cargo aircraft) : 956
 Packing instruction (passenger aircraft) : 956
 Environmentally hazardous : yes
 Remarks : This product can be subject to exemptions when packaged in single or combination packagings containing a net quantity per single or inner packaging of 5 L or less for liquids, or having a net mass of 5 kg or less for solids.

IMDG-Code

UN number : UN 3077
 Proper shipping name : ENVIRONMENTALLY HAZARDOUS SUBSTANCE, SOLID, N.O.S. (MANCOZEB)

Class : 9
 Packing group : III
 Labels : 9
 EmS Code : F-A, S-F
 Marine pollutant : yes
 Remarks : This product can be subject to exemptions when packaged in single or combination packagings containing a net quantity per single or inner packaging of 5 L or less for liquids, or having a net mass of 5 kg or less for solids.

Transport in bulk according to Annex II of MARPOL 73/78 and the IBC Code

Not applicable for product as supplied.

National Regulations

NZS 5433

UN number : UN 3077
 Proper shipping name : ENVIRONMENTALLY HAZARDOUS SUBSTANCE, SOLID, N.O.S. (MANCOZEB)

Class : 9
 Packing group : III
 Labels : 9
 Hazchem Code : 2Z
 Marine pollutant : no

Special precautions for user

The transport classification(s) provided herein are for informational purposes only, and solely based upon the properties of the unpackaged material as it is described within this Safety Data Sheet. Transportation classifications may vary by mode of transportation, package sizes, and variations in regional or country regulations.

RIDOMIL GOLD MZ WG

Version	Revision Date:	SDS Number:	Date of last issue: -
7.0	11.04.2025	S131570990	Date of first issue: 11.04.2025

Section 15: Regulatory information**Safety, health and environmental regulations/legislation specific for the substance or mixture****HSNO Approval Number**

HSR000470

ACVM Registration No. P5658

Tolerable Exposure Limits (TEL)

Not applicable

Environmental Exposure Limits (EEL)

Not applicable

HSW Controls

Certified handler certificate not required.

Tracking hazardous substance not required.

Record keeping is required

Refer to the Health and Safety at Work (Hazardous Substances) Regulations 2017, for further information.

Section 16: Other information

Revision Date : 11.04.2025

Items where changes have been made to the previous version are highlighted in the body of this document by two vertical lines.

Date format : dd.mm.yyyy

Full text of other abbreviations

NZ OEL : New Zealand. Workplace Exposure Standards for Atmospheric Contaminants

Syngenta : Syngenta Occupational Exposure Limit

NZ OEL / WES-TWA : Workplace Exposure Standard - Time Weighted average

Syngenta / TWA : Time weighted average

AIIC - Australian Inventory of Industrial Chemicals; ANTT - National Agency for Transport by Land of Brazil; ASTM - American Society for the Testing of Materials; bw - Body weight; CMR - Carcinogen, Mutagen or Reproductive Toxicant; DIN - Standard of the German Institute for Standardisation; DSL - Domestic Substances List (Canada); ECx - Concentration associated with x% response; ELx - Loading rate associated with x% response; EmS - Emergency Schedule; ENCS - Existing and New Chemical Substances (Japan); ErCx - Concentration associated with x% growth rate response; ERG - Emergency Response Guide; GHS - Globally Harmonized System; GLP - Good Laboratory Practice; IARC - International Agency for Research on Cancer; IATA - International Air Transport Association; IBC - International Code for the Construction and Equipment of Ships carrying Dangerous Chemicals in Bulk; IC50 - Half maximal inhibitory concentration; ICAO - International Civil Aviation Organization; IECSC - Inventory of Existing Chemical Substances in China; IMDG - International Maritime Dangerous Goods; IMO - International Maritime Organization; ISHL - Industrial Safety and Health Law (Japan); ISO - International Organisation for Standardization; KECI - Korea Existing Chemicals Inventory; LC50 - Lethal Con-

RIDOMIL GOLD MZ WG

Version	Revision Date:	SDS Number:	Date of last issue: -
7.0	11.04.2025	S131570990	Date of first issue: 11.04.2025

centration to 50 % of a test population; LD50 - Lethal Dose to 50% of a test population (Median Lethal Dose); MARPOL - International Convention for the Prevention of Pollution from Ships; n.o.s. - Not Otherwise Specified; Nch - Chilean Norm; NO(A)EC - No Observed (Adverse) Effect Concentration; NO(A)EL - No Observed (Adverse) Effect Level; NOELR - No Observable Effect Loading Rate; NOM - Official Mexican Norm; NTP - National Toxicology Program; NZIoC - New Zealand Inventory of Chemicals; OECD - Organization for Economic Co-operation and Development; OPPTS - Office of Chemical Safety and Pollution Prevention; PBT - Persistent, Bioaccumulative and Toxic substance; PICCS - Philippines Inventory of Chemicals and Chemical Substances; (Q)SAR - (Quantitative) Structure Activity Relationship; REACH - Regulation (EC) No 1907/2006 of the European Parliament and of the Council concerning the Registration, Evaluation, Authorisation and Restriction of Chemicals; SADT - Self-Accelerating Decomposition Temperature; SDS - Safety Data Sheet; TCSI - Taiwan Chemical Substance Inventory; TDG - Transportation of Dangerous Goods; TECI - Thailand Existing Chemicals Inventory; TSCA - Toxic Substances Control Act (United States); UN - United Nations; UNRTDG - United Nations Recommendations on the Transport of Dangerous Goods; vPvB - Very Persistent and Very Bioaccumulative; WHMIS - Workplace Hazardous Materials Information System

The information provided in this Safety Data Sheet is correct to the best of our knowledge, information and belief at the date of its publication. The information given is designed only as a guidance for safe handling, use, processing, storage, transportation, disposal and release and is not to be considered a warranty or quality specification. The information relates only to the specific material designated and may not be valid for such material used in combination with any other materials or in any process, unless specified in the text.

NZ / 6N