

SAFETY DATA SHEET

Section 1: IDENTIFICATION

Product Name: SCORE 250 EC
Design Code: A7402Q
Recommended Use: Fungicide
Company Details: Syngenta Crop Protection Limited
Address: Level 4,
60 Parnell Road,
Parnell
AUCKLAND 1052
NEW ZEALAND
Telephone number: (weekdays) 09 306 1500
Emergency Telephone number: (24 Hours) 0800 734 607
National Poisons & Hazchem Information Centre : 0800 POISON (0800 764 766)

Section 2: HAZARDS IDENTIFICATION

GHS classification:

Flammable liquid:	Category 4
Aspiration hazard:	Category 1
Skin irritation:	Category 2
Eye irritation:	Category 2
Reproductive toxicity:	Category 1
Specific target organ toxicity (repeat exposure):	Category 2
Hazardous to the aquatic environment, acute:	Category 1
Hazardous to the aquatic environment, chronic:	Category 1

GHS label elements:

Hazard pictogram:



Signal word:

Danger

Hazard statements:

H227 Combustible liquid
H304 May be fatal if swallowed and enters airways.
H315 Causes skin irritation.
H319 Causes serious eye irritation.
H360 May damage fertility or the unborn child.
H373 May cause damage to organs through prolonged or repeated exposure
H400 Very toxic to aquatic life.
H410 Very toxic to aquatic life with long lasting effects.

Precautionary statements:

Prevention:

P201 Obtain special instructions before use.
P202 Do not handle until all safety precautions have been read and understood.
P210 Keep away from heat, hot surfaces, sparks, open flames and other ignition sources. No smoking.
P260 Do not breathe mist or spray
P264 Wash thoroughly after handling.
P280 Wear protective gloves/ protective clothing/ eye protection/ face protection.

Response:

P370 + P378 In case of fire: Use dry sand, dry chemical or alcohol-resistant foam to extinguish.
P301 + P310 IF SWALLOWED: Immediately call a Poison Centre/doctor.
P331 Do NOT induce vomiting.
P305 + P351 + P338 IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing.

	<p>P337 + P313 If eye irritation persists: Get medical advice/attention. P302 + P352 IF ON SKIN: Wash with plenty of water. P332 + P313 If skin irritation: Get medical advice/attention. P262 + P364 Take off contaminate clothing and wash it before reuse. P314 Get medical advice/attention if you feel unwell. P308 + P313 If exposed or concerned: Call a Poison Centre/doctor. P391 Collect spillage.</p> <p>Storage: P403 Store in a well-ventilated place. P405 Store locked up.</p> <p>Disposal: P501 Dispose of contents/ container to an approved waste disposal plant.</p>
Other hazards which do not result in classification:	-

Section 3: COMPOSITION / INFORMATION ON INGREDIENTS

Mixture:		
Chemical Identity of ingredients:		
Ingredient	CAS no.	Content (% w/v)
difenoconazole	119446-68-3	25
1 methyl-2-pyrrolidone	872-50-4	10-<30
Calcium alkyl benzene sulphonate	26264-06-2	<10
Solvent naphtha (petroleum) highly aromatic	64742-94-5	30-<60
Other ingredients determined not to be hazardous	-	to 100%

Section 4: FIRST AID MEASURES

Description of First Aid measures:	
General Advice:	For advice contact the National Poisons Centre on 0800 POISON (0800 764 766) or a doctor immediately. Begin artificial respiration if the victim is not breathing. Use mouth to nose rather than mouth to mouth. Obtain medical attention.
If inhaled:	Move the victim to fresh air. If breathing is irregular or stopped, administer artificial respiration. Keep patient warm and at rest. Call a Doctor or the National Poisons Centre immediately.
In case of skin contact:	Take off all contaminated clothing immediately. Wash off immediately with plenty of water. If skin irritation persists, call a doctor. Wash contaminated clothing before re-use.
In case of eye contact:	Rinse immediately with plenty of water, also under the eyelids, for at least 15 minutes. Remove contact lenses (if present). Immediate medical attention is required.
If swallowed:	If swallowed seek medical advice immediately and show the container or label. DO NOT induce vomiting: contains petroleum distillates and/or aromatic solvents.
Important symptoms and effects, both acute and delayed:	
Symptoms:	Aspiration may cause pulmonary oedema and pneumonitis. Otherwise, symptoms are nonspecific.
Indication of any immediate medical attention and special treatment needed:	
There is no specific antidote available. Treat symptomatically. Do not induce vomiting: contains petroleum distillates and/or aromatic solvents.	

Section 5: FIRE-FIGHTING MEASURES

Extinguishing media:	
Suitable extinguishing media:	Small fires: Use water spray, alcohol-resistant foam, dry chemical or carbon dioxide. Large Fires: Alcohol resistant foam.
Unsuitable extinguishing media:	Do not use a solid water stream as it may scatter and spread fire.
Special hazards arising from the substance or mixture:	
Specific hazards during fire-fighting:	As the product contains combustible organic components, fire will produce dense black smoke containing hazardous products of combustion (see section 10) Exposure to decomposition products may be a hazard to health. Flash back possible over considerable distance.
Advice for firefighters:	
Special protective equipment for firefighters:	Wear full protective clothing and self-contained breathing apparatus.
Hazchem Code:	3Z
Further information:	Do not allow run-off from fire fighting to enter drains or water courses. Cool closed containers exposed to fire with water spray.

Section 6: ACCIDENTIAL RELEASE MEASURES

Personal precautions, protective equipment and emergency procedures	
Refer to protective measures listed in Sections 7 and 8.	
Environmental Precautions:	
Prevent further leakage or spillage if safe to do so. Do not flush into surface water or sanitary sewer system. If the product contaminates rivers and lakes or drains inform respective authorities.	
Methods and material for containment and cleaning up:	
Contain spillage, and then collect with non-combustible absorbent material, (e.g. sand, earth, diatomaceous earth, vermiculite) and place in container for disposal according to local / national regulations (see section 13).	
Reference to other sections:	Refer to disposal considerations listed in Section 13. Refer to protective measures listed in sections 7 and 8.

Section 7: HANDLING AND STORAGE

Precautions for Safe handling:	
Advice on safe handling:	No special protective measures against fire required. Avoid contact with skin and eyes. When using do not eat, drink or smoke. For personal protection see section 8.
Conditions for safe storage, including any incompatibilities:	
Requirements for storage area and containers:	No special storage conditions required. Keep containers tightly closed in a dry, cool and well-ventilated place. Keep out of the reach of children. Keep away from food, drink and animal feedingstuffs.
Specific end use(s)	
Specific use(s)	For proper and safe use of this product, please refer to the approval conditions laid down on the product label.

Section 8: EXPOSURE CONTROL / PERSONAL PROTECTION

Control Parameters

Occupational Exposure Limits:

Components	CAS No	Value type (form of exposure)	Control parameters	Basis
Difenoconazole	119446-68-3	TWA	5 mg/m ³	Syngenta
solvent naphtha (petroleum), heavy aromatic	64742-94-5	TWA	8 ppm 50 mg/m ³	Supplier
1-Methyl-2-pyrrolidone	872-50-4	TWA	25 ppm 103 mg/m ³	WES
		STEL	75 ppm 309 mg/m ³	WES

Exposure controls

Engineering measures:

Containment and/or segregation is the most reliable technical protection measure if exposure cannot be eliminated. The extent of these protection measures depends on the actual risks in use. Maintain air concentrations below occupational exposure standards. Where necessary, seek additional occupational hygiene advice.

Personal Protective Protection:

Eye protection:

Face shield or tightly fitting safety goggles.. Always wear eye protection when the potential for inadvertent eye contact with the product cannot be excluded.

Hand protection:

Material:

Chemical resistant, such as nitrile rubber

Break through time:

>480 min

Glove thickness:

0.5 mm

Remarks:

Wear protective gloves. The choice of an appropriate glove does not only depend on its material but also on other quality features and is different from one producer to the other. Please observe the instructions regarding permeability and breakthrough time which are provided by the supplier of the gloves. Also take into consideration the specific local conditions under which the product is used, such as the danger of cuts, abrasion, and the contact time. The break through time depends amongst other things on the material, the thickness and the type of glove and therefore has to be measured for each case. Gloves should be discarded and replaced if there is any indication of degradation or chemical breakthrough.

Skin and body protection:

Choose body protection in relation to its type, to the concentration and amount of dangerous substances, and to the specific work-place.

Remove and wash contaminated clothing before re-use.

Wear as appropriate:

Impervious clothing

Respiratory protection:

When workers are facing concentrations above the exposure limit they must use appropriate certified respirators.

Suitable respiratory equipment:

Respirator with a half face mask

The filter class for the respirator must be suitable for the maximum expected contaminant concentration (gas/vapour/aerosol/particulates) that may arise when handling the product. If this concentration is exceeded, self-contained breathing apparatus must be used.

Filter type:

Combined particulates and organic vapour type (A-P)

Protective measures:

The use of technical measures should always have priority over the use of personal protective equipment.

When selecting personal protective equipment, seek appropriate professional advice.

Personal protective equipment should be certified to appropriate standards.

Section 9: PHYSICAL AND CHEMICAL PROPERTIES

Information on basic physical and chemical properties:

Appearance:	Liquid
Colour:	Yellow to brown
Odour:	characteristic
Odour threshold:	No data
pH value	4 - 8, concentration: 1% w/v
Melting point / freezing point:	No data
Initial boiling point and boiling range:	> 220°C
Flash point:	63°C(1013.0 hPa) Method: Pensky-Martens closed cup
Upper flammability / explosive limits:	No data
Lower flammability / explosive limits	No data
Vapour pressure:	No data
Vapour Density:	No data
Density:	1.04 - 1.08 g/cm ³ (20°C)
Solubility in other solvents:	No data
Partition co-efficient: n-octanol / water:	log Pow: 4.4 (25°C)
Autoignition temperature	445°C
Decomposition temperature:	No data
Dynamic viscosity:	35 - 40 mPa.s (20°C) 13 - 21 mPa.s (40°C)
Explosive properties:	Not explosive
Oxidising properties:	Not oxidising
Surface tension:	35.8 mN/m (25°C)
Minimum ignition energy:	No data

Section 10: STABILITY AND REACTIVITY

Reactivity:

See Section: "Possibility of Hazardous Reactions".

Chemical Stability:

The product is stable when used in normal conditions.

Possibility of Hazardous Reactions:

No hazardous reactions by normal handling and storage according to provisions.

Conditions to Avoid

No decomposition if used as directed.

Incompatible Materials:

No substances are known which lead to the formation of hazardous substances or thermal reactions.

Hazardous Decomposition Products:

Combustion or thermal decomposition will evolve toxic and irritant vapours.

Section 11: TOXICOLOGICAL INFORMATION

Acute toxicity (product)

Swallowed:	LD ₅₀ 3442 mg/kg (rat, male and female) (similar product composition)
Dermal absorption:	LD ₅₀ >2000 mg/kg (rat, male and female) (similar product composition)
Inhaled:	LC ₅₀ (4 h) >5.4 mg/L (rat, male and female) (similar product composition)
Aspiration hazard:	Solvent naptha (petroleum), heavy aromatic: Aspiration may cause pulmonary oedema and pneumonitis. May be fatal if swallowed and enters airways.
Respiratory irritation:	Not classified
Skin corrosion / irritation:	IRRITANT (rabbit)

Eye damage / irritation:	IRRITANT (rabbit)
Respiratory or Skin Sensitisation:	NOT A SKIN SENSITISER (guinea pigs)
Chronic / Long Term Effects (active ingredient)	
Germ cell mutagenicity:	Animal testing did not show any mutagenic effects.
Carcinogenicity:	Weight of evidence does not support classification as a carcinogen, In a two-year feeding study of mice, an oncogenic effect was seen in the livers of males and females. The observed tumours do not appear to be relevant for humans.
Reproductive toxicity:	May cause reproductive / development damage from repeated oral exposure.
Specific Organ toxicity:	<i>Single exposure:</i> The substance or mixture is not classified as specific target organ toxicant single exposure. <i>Repeated exposure:</i> The substance or mixture is classified as specific target organ toxicant, repeated exposure, Category 2. May cause organ damage from repeated oral exposure at high doses.
Narcotic Effects:	Not classified.

Section 12: ECOLOGICAL INFORMATION

Ecotoxicity Effects - Aquatic	
Acute toxicity to fish:	LC ₅₀ (96 h) = 3.2 mg/L (<i>Oncorhynchus mykiss</i> (rainbow trout)) (similar product)
Toxicity to daphnia and other aquatic invertebrates:	EC ₅₀ (48h) = 3.3 mg/L (<i>Daphnia magna</i> (water flea)) (similar product)
Toxicity to algae:	ErC ₅₀ (72 h) = 4.4 mg/L (<i>Desmodesmus subspicatus</i> (green algae)) (active ingredient)
Ecotoxicity Effects – Terrestrial (active ingredient)	
Toxicity to Birds:	LD ₅₀ (9-11days) = >2150 mg/kg (mallard ducks) LD ₅₀ (9-11days) = >4760 mg/kg (bobwhite quail)
Toxicity to soil dwelling organisms:	LC ₅₀ (14 days) = >610 mg/kg (earthworms)
Toxicity to Bees:	LD ₅₀ (oral) = >187 µg/bee LD ₅₀ (contact) = >100 µg/bee
Persistence and degradability:	
Biodegradability:	Not readily biodegradable.
Stability in water:	Degradation half-life: 1 d Not persistent in water.
Bioaccumulative potential:	
Bioaccumulation:	High bioaccumulation potential.
Mobility in soil:	
Distribution among environmental compartments:	Low mobility in soils
Stability in soil:	DT ₅₀ : 149 - 187 d Percentage dissipation: 50% Not persistent in soil.
Other adverse effects:	
Results of PBT and vPvB assessment (product):	This substance is not considered to be persistent, bioaccumulating and toxic (PBT).. This substance is not considered to be very persistent and very bioaccumulating (vPvB).

Section 13: DISPOSAL CONSIDERATIONS

Product Disposal:	DO NOT contaminate ponds, waterways or ditches with chemical or used containers. DO NOT dispose of waste into sewer. Dispose of this product only by using according to the label. Otherwise, dispose of waste at an approved landfill or other approved facility that will ensure the substance does not exceed the tolerable exposure limit (TEL) or environmental exposure limit (EEL), where relevant, or will treat the substance so that it is rendered no longer hazardous.
Container Disposal:	Ensure the container is empty. Triple rinse empty container and add rinsate to the spray tank. Recycle empty container through Agrecovery (0800 247 326, www.agrecovery.co.nz). Otherwise crush and bury in a suitable landfill. DO NOT reuse this container for any other purpose.

Section 14: TRANSPORT INFORMATION

Rail / Road (NZS 5433)	UN-No: 3082 Class: 9 Packing Group: III Proper shipping name: ENVIRONMENTALLY HAZARDOUS SUBSTANCE, LIQUID, N.O.S. (Difenoconazole)
Sea (IMDG-Code)	UN-No: 3082 Class: 9 Packing Group: III Proper shipping name: ENVIRONMENTALLY HAZARDOUS SUBSTANCE, LIQUID, N.O.S. (Difenoconazole) EmS Code: F-A, S-F MARINE POLLUTANT: Yes
Air (IATA)	UN-No: 3082 Class: 9 Packing Group: III Proper shipping name: ENVIRONMENTALLY HAZARDOUS SUBSTANCE, LIQUID, N.O.S. (Difenoconazole) Packing instruction: 964 (cargo and passenger aircraft) Packing instruction (LQ): Y964 (cargo and passenger aircraft)

Section 15: REGULATORY INFORMATION

HSNO Approval Number:	HSR000508
Tolerable Exposure Limit or Environmental Exposure Limit:	No TEL or EEL values are set for this substance at this time
Required Regulatory Controls::	
Certified handler:	No
Tracking:	No
Record Keeping	Yes
ACVM Registration:	P 3900
ACVM Controls:	See www.foodsafety.govt.nz for registration conditions.
International Agreements related to the substance (eg, Montreal Protocol, Stockholm Convention or Rotterdam Convention):	Not applicable

Section 16: OTHER INFORMATION

Date of SDS Preparation / Review:	28 April 2025
Version number of SDS:	9.0
Key / Legend to abbreviations and acronyms used:	
<p>AICS - Australian Inventory of Chemical Substances; ANTT - National Agency for Transport by Land of Brazil; ASTM - American Society for the Testing of Materials; bw - Body weight; CMR -Carcinogen, Mutagen or Reproductive Toxicant; CPR - Controlled Products Regulations; DIN - Standard of the German Institute for Standardisation; DSL - Domestic Substances List (Canada); ECx - Concentration associated with x% response; ELx - Loading rate associated with x% response; EmS - Emergency Schedule; ENCS - Existing and New Chemical Substances (Japan); ErCx - Concentration associated with x% growth rate response; ERG - Emergency Response Guide; GHS - Globally Harmonized System; GLP - Good Laboratory Practice; IARC - International Agency for Research on Cancer; IATA - International Air Transport Association; IBC - International Code for the Construction and Equipment of Ships carrying Dangerous Chemicals in Bulk; IC50 - Half maximal inhibitory concentration; ICAO - International Civil Aviation Organization; IECSC - Inventory of Existing Chemical Substances in China; IMDG - International Maritime Dangerous Goods; IMO - International Maritime Organization; ISHL - Industrial Safety and Health Law (Japan); ISO - International Organisation for Standardization; KECl - Korea Existing Chemicals Inventory; LC50 - Lethal Concentration to 50 % of a test population; LD50 - Lethal Dose to 50% of a test population (Median Lethal Dose);</p>	<p>MARPOL - International Convention for the Prevention of Pollution from Ships; N.O.S. - Not Otherwise Specified; Nch - Chilean Norm; NO(A)EC - No Observed (Adverse) Effect Concentration; NO(A)EL - No Observed (Adverse) Effect Level; NOELR - No Observable Effect Loading Rate; NOM - Official Mexican Norm; NTP - National Toxicology Program; NZIoC - New Zealand Inventory of Chemicals; OECD - Organization for Economic Co-operation and Development; OPPTS - Office of Chemical Safety and Pollution Prevention; PBT - Persistent, Bioaccumulative and Toxic substance; PICCS - Philippines Inventory of Chemicals and Chemical Substances; (Q)SAR - (Quantitative) Structure ActivityRelationship; REACH - Regulation (EC) No 1907/2006 of the European Parliament and of the Council concerning the Registration, Evaluation, Authorisation and Restriction of Chemicals; SADT - Self-Accelerating Decomposition Temperature; SDS - Safety Data Sheet; TCSI - Taiwan Chemical Substance Inventory; TDG - Transportation of Dangerous Goods; TSCA - Toxic Substances Control Act (United States); UN - United Nations; UNRTDG - United Nations Recommendations on the Transport of Dangerous Goods; vPvB - Very Persistent and Very Bioaccumulative; WES – Workplace Exposure Standard (Worksafe NZ); WHMIS - Workplace Hazardous Materials Information System</p>
<p>The information provided in this Safety Data Sheet is correct to the best of our knowledge, information and belief at the date of its publication. The information given is designed only as a guidance for safe handling, use, processing, storage, transportation, disposal and release and is not to be considered a warranty or quality specification. The information relates only to the specific material designated and may not be valid for such material used in combination with any other materials or in any process, unless specified in the test.</p> <p>This version replaces all previous versions. PRODUCT NAMES are a trademark or registered trademark of a Syngenta Group Company.</p>	